Title: Histochemical observations and gene expression changes related to internal browning in tuberous roots of sweet potato (*Ipomea batatas*)

Authors: Nobuyuki Fukuoka, Masahiro Miyata, Tatsuro Hamada, Eishin Takeshita

PII: S0168-9452(18)30377-7
DOI: https://doi.org/10.1016/j.plantsci.2018.07.004
Reference: PSL 9899

To appear in: *Plant Science*

Received date: 4-4-2018
Revised date: 7-7-2018
Accepted date: 7-7-2018

Please cite this article as: Fukuoka N, Miyata M, Hamada T, Takeshita E, Histochemical observations and gene expression changes related to internal browning in tuberous roots of sweet potato (*Ipomea batatas*), *Plant Science* (2018), https://doi.org/10.1016/j.plantsci.2018.07.004

Histochemical observations and gene expression changes related to internal browning in tuberous roots of sweet potato (*Ipomea batatas*)

Nobuyuki Fukuoka [a,*], Masahiro Miyata [a], Tatsuro Hamada [b], Eishin Takeshita [c]

[a] *Experimental Farm, Ishikawa Prefectural University, 1-308, Suematsu, Nonoichi, Ishikawa 921-8836, Japan*

[b] *Research Institute for Bioresources and Biotechnology, Ishikawa Prefectural University, 1-308, Suematsu, Nonoichi, Ishikawa 921-8836, Japan*

[c] *Ishikawa Sand dune Agricultural Research Center, 5-2, Uchihisumi, Kahoku, Ishikawa 929-1126, Japan*

* Corresponding author.

E-mail address: nfukuoka@ishikawa-pu.ac.jp

Highlights