

Accepted Manuscript

Title: Nerolidol production in agroinfiltrated tobacco: impact of protein stability and membrane targeting of strawberry (*Fragaria ananassa*) NEROLIDOL SYNTHASE1

Authors: Paola Andrade, David Manzano, Karla Ramirez-Estrada, Daniel Caudepon, Montserrat Arro, Albert Ferrer, Michael A. Phillips



PII: S0168-9452(17)30535-6
DOI: <https://doi.org/10.1016/j.plantsci.2017.11.013>
Reference: PSL 9709

To appear in: *Plant Science*

Received date: 11-6-2017
Revised date: 11-11-2017
Accepted date: 17-11-2017

Please cite this article as: Paola Andrade, David Manzano, Karla Ramirez-Estrada, Daniel Caudepon, Montserrat Arro, Albert Ferrer, Michael A. Phillips, Nerolidol production in agroinfiltrated tobacco: impact of protein stability and membrane targeting of strawberry (*Fragaria ananassa*) NEROLIDOL SYNTHASE1, *Plant Science* <https://doi.org/10.1016/j.plantsci.2017.11.013>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Nerolidol production in agroinfiltrated tobacco: impact of protein stability and membrane targeting of strawberry (*Fragraria ananassa*) NEROLIDOL SYNTHASE1

Paola Andrade^{a,1}, David Manzano^{a,b}, Karla Ramirez-Estrada^{a,b}, Daniel Caudepon^{a,b}, Montserrat Arro^{a,b}, Albert Ferrer^{a,b}, Michael A. Phillips^{c,d*}

^a Plant Metabolism and Metabolic Engineering Program, Center for Research in Agricultural Genomics, (CRAG) (CSIC-IRTA-UAB-UB), Campus UAB, Bellaterra (Cerdanyola del Vallès), Barcelona, Spain

^b Department of Biochemistry and Physiology, Faculty of Pharmacy and Food Sciences, University of Barcelona, Barcelona, Spain

^c Department of Biology, University of Toronto – Mississauga, Mississauga, Ontario, L5L 1C6 Canada

^d Department of Cellular and Systems Biology, University of Toronto, Toronto, Ontario M5S 3G5, Canada

Author email address: paoandrade1@gmail.com, david.manzano.alias@gmail.com, danielcaugim@gmail.com, montsearroplans@ub.edu, albertferrer@ub.edu, michaelandrew.phillips@utoronto.ca

* To whom correspondence should be addressed: Michael A. Phillips michaelandrew.phillips@utoronto.ca

¹ Present address: Laboratorio de Biotecnología, Instituto de Investigaciones Agropecuarias CRI-La Platina, 8831314 Chile

Highlights

- The endoplasmic reticulum represents a microenvironment enriched in farnesyl diphosphate that can be exploited in plant metabolic engineering strategies
- Nerolidol production in transfected *Nicotiana benthamiana* leaves is most influenced by recombinant protein expression levels

Download English Version:

<https://daneshyari.com/en/article/8356851>

Download Persian Version:

<https://daneshyari.com/article/8356851>

[Daneshyari.com](https://daneshyari.com)