Accepted Manuscript

Title: MicroRNA396a-5p and -3p induce tomato disease susceptibility by suppressing target genes and upregulating salicylic acid

Authors: Lei Chen, Jun Meng, Junmiao Zhai, Pinsan Xu, Yushi Luan



Please cite this article as: Lei Chen, Jun Meng, Junmiao Zhai, Pinsan Xu, Yushi Luan, MicroRNA396a-5p and -3p induce tomato disease susceptibility by suppressing target genes and upregulating salicylic acid, Plant Science https://doi.org/10.1016/j.plantsci.2017.10.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

MicroRNA396a-5p and -3p induce tomato disease susceptibility by suppressing target genes and upregulating salicylic acid

Lei Chen¹, Jun Meng^{2*}, Junmiao Zhai¹ and Yushi Luan^{1*}

¹ School of Life Sciences and Biotechnology, Dalian University of Technology, Dalian 116024, China

²School of Computer Science and Technology, Dalian University of Technology, Dalian 116024, China

* Correspondence author. Tel: 86-411-84706356; Fax: 86-411-84706365. *E-mail address*: ysluan@dlut.edu.cn (Y. Luan), mengjun@dlut.edu.cn (J. Meng).

Graphical abstract



Abstract

Plants have evolved a variety of mechanisms to perceive and resist the assault of pathogens. The biotrophs, necrotrophs and hemibiotrophs are types of plant pathogens that activate diverse hormone signaling pathways. In this study we showed that the miR396a-5p and -3p expressions were both down-regulated after hemibiotroph

Download English Version:

https://daneshyari.com/en/article/8356959

Download Persian Version:

https://daneshyari.com/article/8356959

Daneshyari.com