

Cycloartane-type sapogenol derivatives inhibit NFB activation as chemopreventive strategy for inflammation-induced prostate carcinogenesis

Bilge Debeleç-Bütüner, Mert Burak Öztürk, Özgür Tağ, İsmail Hakkı Akgün, Günay Yetik-Anacak, Erdal Bedir, Kemal Sami Korkmaz

PII: S0039-128X(18)30068-0
DOI: https://doi.org/10.1016/j.steroids.2018.04.005
Reference: STE 8252

To appear in: *Steroids*

Received Date: 13 September 2017
Revised Date: 2 April 2018
Accepted Date: 12 April 2018

Please cite this article as: Debeleç-Bütüner, B., Öztürk, M.B., Tağ, O., Akgün, I.H., Yetik-Anacak, G., Bedir, E., Korkmaz, K.S., Cycloartane-type sapogenol derivatives inhibit NFB activation as chemopreventive strategy for inflammation-induced prostate carcinogenesis, *Steroids* (2018), doi: https://doi.org/10.1016/j.steroids.2018.04.005

Cycloartane-type sapogenol derivatives inhibit NFKB activation as chemopreventive strategy for inflammation-induced prostate carcinogenesis

Bilge Debeleç-Bütüner [a], Mert Burak Öztürk[b,g], Özgür Tağ[c], İsmail Hakkı Akgün[d], Günay Yetik-Anacak[e], Erdal Bedir[f,h,*], Kemal Sami Korkmaz[b]

[a]Ege University, Faculty of Pharmacy, Department of Pharmaceutical Biotechnology, Izmir, Turkey
[b] Ege University, Faculty of Engineering, Department of Bioengineering, Cancer Biology Laboratory, Izmir, Turkey
[c]Ege University, Graduate School of Natural and Applied Sciences, Department of Chemistry, Izmir, Turkey
[d]Ege University, Faculty of Engineering, Department of Bioengineering, Izmir, Turkey
[e]Ege University, Faculty of Pharmacy, Department of Pharmacology, Izmir, Turkey
[f] Ege University, Faculty of Engineering, Department of Bioengineering, Izmir, Turkey

** Corresponding authors: Erdal Bedir (e-mail: erdalbedir@iyte.edu.tr)*

[g] *Present address: Division of Cancer Genetics and Therapeutics, Laboratory of NFκB Signaling, Institute of Molecular and Cell Biology (IMCB), A*STAR (Agency for Science, Technology and Research), Singapore 138673, Singapore*
[h] *Present address: Izmir Institute of Technology, Faculty of Engineering, Department of Bioengineering, Izmir, Turkey*