

Accepted Manuscript

Estradiol and the Control of Feeding Behavior

HM. Rivera, TL. Stincic

PII: S0039-128X(17)30221-0

DOI: <https://doi.org/10.1016/j.steroids.2017.11.011>

Reference: STE 8193

To appear in: *Steroids*

Received Date: 2 October 2017

Revised Date: 20 November 2017

Accepted Date: 21 November 2017



Please cite this article as: Rivera, HM., Stincic, TL., Estradiol and the Control of Feeding Behavior, *Steroids* (2017), doi: <https://doi.org/10.1016/j.steroids.2017.11.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Estradiol and the Control of Feeding Behavior

Rivera HM¹ and Stincic TL¹

¹Department of Physiology and Pharmacology, Oregon Health and Science University,

Portland, OR 97239 USA

Correspondence should be addressed to:

Todd Stincic, Ph.D.

Department of Physiology & Pharmacology, L334

Oregon Health & Science University

Portland, OR 97239-3098

Email: stincic@ohsu.edu

Highlights

- 17 β -estradiol (E2) protects against obesity.
- In part, this is mediated by an E2 influence on homeostatic and hedonic feeding.
- Estrogen receptor activation modulates excitability in feeding neural circuits.

Key Words: 17 β -estradiol, food intake, obesity

Download English Version:

<https://daneshyari.com/en/article/8366327>

Download Persian Version:

<https://daneshyari.com/article/8366327>

[Daneshyari.com](https://daneshyari.com)