

## Accepted Manuscript

Butylated hydroxytoluene, a food additive, modulates membrane potential and increases the susceptibility of rat thymocytes to oxidative stress

Norio Kamemura

PII: S2468-1113(18)30028-8  
DOI: <https://doi.org/10.1016/j.comtox.2018.04.001>  
Reference: COMTOX 36

To appear in: *Computational Toxicology*

Received Date: 22 December 2017  
Revised Date: 17 February 2018  
Accepted Date: 3 April 2018

Please cite this article as: N. Kamemura, Butylated hydroxytoluene, a food additive, modulates membrane potential and increases the susceptibility of rat thymocytes to oxidative stress, *Computational Toxicology* (2018), doi: <https://doi.org/10.1016/j.comtox.2018.04.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Butylated hydroxytoluene, a food additive, modulates membrane potential and increases the susceptibility of rat thymocytes to oxidative stress**

**Short Title, Assessment of toxic effects of Butylated hydroxytoluene**

Norio Kamemura\*

From Division of Bioscience and Bioindustry, Tokushima University, Tokushima.  
Minamijosanjim 2-1, Tokushima 770-8513, Japan.

\*Corresponding author.

Tokushima. Minamijosanjim 2-1, Tokushima 770-8513, Japan.

Tel.: +81 88 656 5202; Fax: +81 88 656 9965.

E-mail address: kamemura.norio@tokushima-u.ac.jp (N. Kamemura).

Download English Version:

<https://daneshyari.com/en/article/8376738>

Download Persian Version:

<https://daneshyari.com/article/8376738>

[Daneshyari.com](https://daneshyari.com)