Accepted Manuscript

Title: *Staphylococcus epidermidis* is largely dependent on iron availability to form biofilms

Authors: Fernando Oliveira, Ângela França, Nuno Cerca

PII: \$1438-4221(17)30299-0

DOI: http://dx.doi.org/10.1016/j.ijmm.2017.08.009

Reference: IJMM 51150

To appear in:

Received date: 20-6-2017 Revised date: 25-7-2017 Accepted date: 23-8-2017

Please cite this article as: Oliveira, Fernando, França, Ângela, Cerca, Nuno, Staphylococcus epidermidis is largely dependent on iron availability to form biofilms.International Journal of Medical Microbiology http://dx.doi.org/10.1016/j.ijmm.2017.08.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Staphylococcus epidermidis is largely dependent on iron availability to form biofilms

Running title: Role of iron on S. epidermidis biofilms

Fernando Oliveira, Ângela França, Nuno Cerca#

Centre of Biological Engineering, LIBRO – Laboratory of Research in Biofilms Rosário Oliveira, University of Minho, Campus de Gualtar, 4710-057, Braga, Portugal.

#Corresponding author: Nuno Cerca, Centre of Biological Engineering,
University of Minho, Campus de Gualtar, 4710-057, Braga, Portugal. Phone:

(+351) 253604423. Fax: (+351) 253504400. E-mail: nunocerca@ceb.uminho.pt

Download English Version:

https://daneshyari.com/en/article/8385083

Download Persian Version:

https://daneshyari.com/article/8385083

<u>Daneshyari.com</u>