

Title: Proteomic analysis of tree peony (*Paeonia ostii* 'Feng Dan') seed germination affected by low temperature

Authors: Xiu-Xia Ren, Jing-Qi Xue, Shun-Li Wang, Yu-Qian Xue, Ping Zhang, Hai-Dong Jiang, Xiu-Xin Zhang

PII: S0176-1617(17)30312-7
DOI: https://doi.org/10.1016/j.jplph.2017.12.016
Reference: JPLPH 52711

To appear in:

Received date: 4-9-2017
Revised date: 22-12-2017
Accepted date: 22-12-2017

Please cite this article as: Ren Xiu-Xia, Xue Jing-Qi, Wang Shun-Li, Xue Yu-Qian, Zhang Ping, Jiang Hai-Dong, Zhang Xiu-Xin.Proteomic analysis of tree peony (Paeonia ostii 'Feng Dan') seed germination affected by low temperature.*Journal of Plant Physiology* https://doi.org/10.1016/j.jplph.2017.12.016

Proteomic analysis of tree peony (*Paeonia ostii* 'Feng Dan') seed germination affected by low temperature

Xiu-Xia Ren [a,1], Jing-Qi Xue [a,1], Shun-Li Wang [a,1], Yu-Qian Xue [a], Ping Zhang [a], Hai-Dong Jiang [b,*], Xiu-Xin Zhang [a,**]

[a] *Key Laboratory of Biology and Genetic Improvement of Horticultural Crops, Ministry of Agriculture and Institute of Vegetables and Flowers, Chinese Academy of Agricultural Sciences, Beijing, China*

*Corresponding author at: No. 1 Weigang, Xuanwu District, Nanjing, Jiangsu Province 210095, China.

E-mail addresses: hdjiang@njau.edu.cn (H. Jiang).

**Corresponding author at: No. 12 Zhongguancun Nandajie, Haidian District, Beijing 100081, China.

E-mail address: zhangxiuxin@caas.cn (X. Zhang).

[1] These authors contributed equally to this work.

Abstract

Seed germination is a critical process that is influenced by various factors. In the present study, the effect of low temperature (4°C) on tree peony seed germination was investigated. Compared to