

Accepted Manuscript

Title: Wounding induces changes in tuber polyamine content, polyamine metabolic gene expression, and enzyme activity during closing layer formation and initiation of wound periderm formation

Author: Edward C. Lulai Jonathan D. Neubauer Linda L. Olson Jeffrey C. Suttle



PII: S0176-1617(14)00357-5
DOI: <http://dx.doi.org/doi:10.1016/j.jplph.2014.12.010>
Reference: JPLPH 52096

To appear in:

Received date: 18-9-2014
Revised date: 10-12-2014
Accepted date: 10-12-2014

Please cite this article as: Lulai EC, Neubauer JD, Olson LL, Suttle JC, Wounding induces changes in tuber polyamine content, polyamine metabolic gene expression, and enzyme activity during closing layer formation and initiation of wound periderm formation, *Journal of Plant Physiology* (2014), <http://dx.doi.org/10.1016/j.jplph.2014.12.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 Cover Page

2

3 E. Lulai et al. / Journal of Plant Physiology

4

5 Edward Lulai, USDA ARS NCSL, 1605 Albrecht Blvd. North, Fargo, ND 58102-2765, Phone:

6 701-239-1352, Fax: 701-239-1349, Ed.Lulai@ars.usda.gov

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

Download English Version:

<https://daneshyari.com/en/article/8387507>

Download Persian Version:

<https://daneshyari.com/article/8387507>

[Daneshyari.com](https://daneshyari.com)