Accepted Manuscript



A direct determination of AFBs in vinegar by aptamer-based surface plasmon resonance biosensor

Wenbo Wu, Zhiling Zhu, Bingjie Li, Zhuqing Liu, Lili Jia, Limin Zuo, Long Chen, Zhentai Zhu, Guangzhi Shan, Shi-Zhong Luo

PII: S0041-0101(18)30118-1

DOI: 10.1016/j.toxicon.2018.03.006

Reference: TOXCON 5840

To appear in: *Toxicon*

Received Date: 12 October 2017

Revised Date: 7 March 2018

Accepted Date: 18 March 2018

Please cite this article as: Wu, W., Zhu, Z., Li, B., Liu, Z., Jia, L., Zuo, L., Chen, L., Zhu, Z., Shan, G., Luo, S.-Z., A direct determination of AFBs in vinegar by aptamer-based surface plasmon resonance biosensor, *Toxicon* (2018), doi: 10.1016/j.toxicon.2018.03.006.

A Direct Determination of AFBs in vinegar by aptamer-based surface plasmon resonance biosensor

Wenbo Wu[a,1], Zhiling Zhu[b,1], Bingjie Li[a], Zhuqing Liu[a], Lili Jia[a], Limin Zuo[b], Long Chen[a], Zhentai Zhu[c], Guangzhi Shan[b*], Shi-Zhong Luo[a*]

a Beijing Key Laboratory of Bioprocess, College of Life Science and Technology, Beijing University of Chemical Technology, Beijing 100029, China

b Institute of Medicinal Biotechnology, Chinese Academy of Medical Science and Peking Union Medical College, Beijing 100050, China

c State Key Laboratory of NBC Protection for Civilian, Beijing, China

[1] Equal contribution

* Corresponding authors: Shi-Zhong Luo, Beijing Key Laboratory of Bioprocess, College of Life Science and Technology, Beijing University of Chemical Technology, Beijing 100029, ChinaTel: +8610 64438015; Fax: +8610 64438015.E-mail address: luosz@mail.buct.edu.cn

Guangzhi Shan, Institute of Medicinal Biotechnology, Chinese Academy of Medical Science and Peking Union Medical College, Beijing 100050, China.