

Accepted Manuscript

Improved in vitro models for preclinical drug and formulation screening focusing on 2D and 3D skin and cornea constructs

Nicole Beißner, Antonio Bolea Albero, Jendrik Füller, Thomas Kellner, Lothar Lauterboeck, Jinghu Liang, Markus Böl, Birgit Glasmacher, Christel C. Müller-Goymann, Stephan Reichl

PII: S0939-6411(17)30913-X
DOI: <https://doi.org/10.1016/j.ejpb.2017.11.014>
Reference: EJPB 12638

To appear in: *European Journal of Pharmaceutics and Biopharmaceutics*

Received Date: 7 August 2017
Revised Date: 3 November 2017
Accepted Date: 26 November 2017

Please cite this article as: N. Beißner, A. Bolea Albero, J. Füller, T. Kellner, L. Lauterboeck, J. Liang, M. Böl, B. Glasmacher, C.C. Müller-Goymann, S. Reichl, Improved in vitro models for preclinical drug and formulation screening focusing on 2D and 3D skin and cornea constructs, *European Journal of Pharmaceutics and Biopharmaceutics* (2017), doi: <https://doi.org/10.1016/j.ejpb.2017.11.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Improved *in vitro* models for preclinical drug and formulation screening focusing on 2D and 3D skin and cornea constructs

Nicole Beißner^{a,d,*}, Antonio Bolea Albero^{b,d}, Jendrik Füller^{a,d}, Thomas Kellner^{a,d}, Lothar Lauterboeck^{c,d}, Jinghu Liang^{b,d}, Markus Böl^{b,d}, Birgit Glasmacher^{c,d}, Christel C. Müller-Goymann^{a,d,*}, Stephan Reichl^{a,d}

^aTechnische Universität Braunschweig, Institut für Pharmazeutische Technologie, Mendelssohnstr. 1, 38106 Braunschweig, Germany; nicole.beissner@tu-braunschweig.de; jenfuell@tu-braunschweig.de; t.kellner@tu-braunschweig.de; s.reichl@tu-braunschweig.de; c.mueller-goymann@tu-braunschweig.de

^bTechnische Universität Braunschweig, Institut für Festkörpermechanik, Langer Kamp 8, 38106 Braunschweig, Germany; a.bolea-albero@tu-braunschweig.de; m.boel@tu-braunschweig.de

^cLeibniz Universität Hannover, Institut für Mehrphasenprozesse, Callinstr. 36, 30167 Hannover, Germany; lauterboeck@imp.uni-hannover.de; glasmacher@imp.uni-hannover.de

^dTechnische Universität Braunschweig, Zentrum für Pharmaverfahrenstechnik, Franz-Liszt-Str. 35a, 38106 Braunschweig, Germany

*Corresponding author: Christel Müller-Goymann, Institut Pharmazeutische Technologie TU Braunschweig, Mendelssohnstr. 1, 38106 Braunschweig, Germany, c.mueller-goymann@tu-braunschweig.de

Contents

1. Introduction
2. 2D and 3D organotypic cell constructs/tissue models
 - 2.1 General considerations
 - 2.2 Computation-based approaches to cell proliferation and differentiation of cultivated dermal tissue
 - 2.3 Effects of hyperforin and hyperforin formulations on tissue models of the skin
 - 2.4 Drug absorption models for preclinical formulation testing
 - 2.5 Cryopreservation of tissue-engineered corneas for shipping purposes
3. Conclusion

Abstract

The present overview deals with current approaches for the improvement of *in vitro* models for preclinical drug and formulation screening which were elaborated in a joint project at the

Download English Version:

<https://daneshyari.com/en/article/8411944>

Download Persian Version:

<https://daneshyari.com/article/8411944>

[Daneshyari.com](https://daneshyari.com)