Accepted Manuscript

A rapid point-of-care test for dengue virus-1 based on a lateral flow assay with a near-infrared fluorescent dye

Lin Chen, Huagui Wang, Tongsheng Guo, Chaohui Xiao, Licheng Liu, Xiaoguang Zhang, Bo Liu, Peiran Li, Aixia Liu, Bo Li, Boan Li, Yuanli Mao

PII: S0022-1759(17)30483-0

DOI: doi:10.1016/j.jim.2018.02.005

Reference: JIM 12413

To appear in: Journal of Immunological Methods

Received date: 15 November 2017 Revised date: 6 February 2018 Accepted date: 13 February 2018

Please cite this article as: Lin Chen, Huagui Wang, Tongsheng Guo, Chaohui Xiao, Licheng Liu, Xiaoguang Zhang, Bo Liu, Peiran Li, Aixia Liu, Bo Li, Boan Li, Yuanli Mao, A rapid point-of-care test for dengue virus-1 based on a lateral flow assay with a near-infrared fluorescent dye. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Jim(2017), doi:10.1016/j.jim.2018.02.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

A rapid point-of-care test for dengue virus-1 based on a lateral flow assay with a near-infrared fluorescent dye

Lin Chen^{1,2*}, Huagui Wang^{3,4*}, Tongsheng Guo², Chaohui Xiao², Licheng Liu⁴, Xiaoguang Zhang⁵, Bo Liu², Peiran Li², Aixia Liu², Bo Li², Boan Li^{2#}, Yuanli Mao^{1,2#}

³, Key Laboratory of Genome Sciences and Information, Beijing Institute of Genomics, Chinese Academy of Sciences, Beijing, China

Email: 13366228591lba@263.net

Address: Center for Clinical Laboratory, 302 Hospital of PLA, Beijing 100039, China

#, correspondence to: Yuanli Mao, Tel: +86-10-66933247, Fax: +86-10-66933247,

Email: 13811188012maoyuanlee@163.com

Address: Graduate Student Team, Medical University of PLA, Beijing 100853, China

^{*,} These two authors contributed equally to this article.

¹, Graduate Student Team, Medical University of PLA, Beijing, China

², Center for Clinical Laboratory, 302 Hospital of PLA, Beijing, China

⁴, Beijing Macro & Micro Test Biotech Co., Ltd, Beijing, China

⁵, Chinese Academy of Sciences National Institute for Viral Disease Control and Prevention, Beijing, China

^{*,} correspondence to: Boan Li, Tel: +86-10-66949621, Fax: +86-10-66949621,

Download English Version:

https://daneshyari.com/en/article/8416831

Download Persian Version:

https://daneshyari.com/article/8416831

<u>Daneshyari.com</u>