

Accepted Manuscript

Fast and easy detection of CMY-2 in Escherichia coli by direct MALDI-TOF mass spectrometry

Roque Figueroa Espinosa, Valeria Rumi, Martín Marchisio, Daniela Cejas, Marcela Radice, Carlos Vay, Rubén Barrios, Gabriel Gutkind, José Di Conza



PII: S0167-7012(18)30039-3
DOI: doi:[10.1016/j.mimet.2018.04.001](https://doi.org/10.1016/j.mimet.2018.04.001)
Reference: MIMET 5364
To appear in: *Journal of Microbiological Methods*
Received date: 23 January 2018
Revised date: 29 March 2018
Accepted date: 1 April 2018

Please cite this article as: Roque Figueroa Espinosa, Valeria Rumi, Martín Marchisio, Daniela Cejas, Marcela Radice, Carlos Vay, Rubén Barrios, Gabriel Gutkind, José Di Conza, Fast and easy detection of CMY-2 in Escherichia coli by direct MALDI-TOF mass spectrometry. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Mimet(2018), doi:[10.1016/j.mimet.2018.04.001](https://doi.org/10.1016/j.mimet.2018.04.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fast and easy detection of CMY-2 in *Escherichia coli* by direct MALDI-TOF Mass Spectrometry

Roque Figueroa Espinosa^{a,b}, Valeria Rumi^c, Martín Marchisio^d, Daniela Cejas^{a,b},
Marcela Radice^{a,b}, Carlos Vay^{a,e}, Rubén Barrios^f, Gabriel Gutkind^{a,b,#}, José Di Conza^{a,b}.

^aUniversidad de Buenos Aires, Facultad de Farmacia y Bioquímica, Argentina.

^bCONICET, Argentina. ^cUniversidad de Buenos Aires, Facultad de Veterinaria,

Argentina. ^dUniversidad Nacional del Litoral, Facultad de Bioquímica y Cs. Biológicas,

Argentina. ^eUniversidad de Buenos Aires, Hospital de Clínicas José de San Martín,

Argentina. ^fBDLifeSciences, Argentina.

Running title: Discrimination of CMY-2-producing *E. coli* by MALDI-TOF

#Corresponding authors: E-mail: ggutkind@ffyb.uba.ar

Mailing address: Laboratorio de Resistencia Bacteriana – Cepario, Facultad de Farmacia
y Bioquímica (UBA); Junín 956, 8vo. Piso, CP 1113 – Ciudad Autónoma de Buenos
Aires, Argentina. Phone: 54-11-52874802.

Download English Version:

<https://daneshyari.com/en/article/8420365>

Download Persian Version:

<https://daneshyari.com/article/8420365>

[Daneshyari.com](https://daneshyari.com)