

Accepted Manuscript

Extended-spectrum β -lactamase (ESBL) detection directly from urine samples with the rapid isothermal amplification-based eazyplex® SuperBug CRE assay: ProOf of concept

V. Hinić, J. Ziegler, C. Straub, D. Goldenberger, R. Frei

PII: S0167-7012(15)30093-2
DOI: doi: [10.1016/j.mimet.2015.10.015](https://doi.org/10.1016/j.mimet.2015.10.015)
Reference: MIMET 4768

To appear in: *Journal of Microbiological Methods*

Received date: 13 July 2015
Revised date: 21 October 2015
Accepted date: 22 October 2015



Please cite this article as: Hinić, V., Ziegler, J., Straub, C., Goldenberger, D., Frei, R., Extended-spectrum β -lactamase (ESBL) detection directly from urine samples with the rapid isothermal amplification-based eazyplex® SuperBug CRE assay: ProOf of concept, *Journal of Microbiological Methods* (2015), doi: [10.1016/j.mimet.2015.10.015](https://doi.org/10.1016/j.mimet.2015.10.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Short communication**Extended-spectrum β -lactamase (ESBL) detection directly from urine samples
with the rapid isothermal amplification-based eazyplex[®] SuperBug CRE Assay:
proof of concept**

V. Hinić^{a*}, J. Ziegler^a, C. Straub^a, D. Goldenberger^a and R. Frei^a

^a Division of Clinical Microbiology, University Hospital Basel, Petersgraben 4, 4031 Basel,
Switzerland

*Corresponding author. Mailing address: Division of Clinical Microbiology, University Hospital
Basel, Petersgraben 4, 4031 Basel, Switzerland. Phone: +41 61 3287315.

Fax: +41 61 2655355. E-mail: vladimira.hinic@usb.ch

Parts of this study have been presented at the 73rd Annual Assembly of the Swiss Society
for Microbiology (SGM), held in Lugano from 28 to 29 May 2015.

Keywords: ESBL; rapid detection; urine samples; isothermal amplification; proof of concept

Download English Version:

<https://daneshyari.com/en/article/8421384>

Download Persian Version:

<https://daneshyari.com/article/8421384>

[Daneshyari.com](https://daneshyari.com)