Accepted Manuscript

Angiocoupling between the dominant follicle and corpus luteum during waves 1 and 2 in *Bos taurus* heifers

R.R. Domingues, O.J. Ginther

PII: S0093-691X(18)30100-6

DOI: 10.1016/j.theriogenology.2018.03.019

Reference: THE 14481

To appear in: Theriogenology

Received Date: 30 November 2017

Revised Date: 13 March 2018 Accepted Date: 14 March 2018

Please cite this article as: Domingues RR, Ginther OJ, Angiocoupling between the dominant follicle and corpus luteum during waves 1 and 2 in *Bos taurus* heifers, *Theriogenology* (2018), doi: 10.1016/j.theriogenology.2018.03.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

0

Revision to Theriogenology on March 13, 2018 Revised 2 3 Angiocoupling between the dominant follicle and corpus luteum during waves 1 and 2 in Bos taurus heifers 4 5 R.R. Domingues^{a,b}, O.J. Ginther^{a,b,*} 6 ^aEutheria Foundation, Cross Plains, Wisconsin 53528, USA 7 ^bDepartment of Pathobiological Sciences, School of Veterinary Medicine, University of Wisconsin-8 9 Madison, Madison, Wisconsin 53706, USA 10 *Correspondence: Tel.: +1 608 798 3777. 11 E-mail address: oj.ginther@wisc.edu (O.J. Ginther) 12 13

14

Download English Version:

https://daneshyari.com/en/article/8426895

Download Persian Version:

https://daneshyari.com/article/8426895

<u>Daneshyari.com</u>