Accepted Manuscript

Which factors influence the development of GVHD in HLA-matched or mismatched transplants?


Effie W. Petersdorf

PII: \$1521-6926(17)30031-2

DOI: 10.1016/j.beha.2017.09.003

Reference: YBEHA 998

To appear in: Best Practice & Research Clinical Haematology



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Which factors influence the development of GVHD in HLA-matched or mismatched transplants?

Effie W. Petersdorf, MD

Professor of Medicine, University of Washington, and Member, Fred Hutchinson Cancer Research Center, Division of Clinical Research

1100 Fairview Ave North, Seattle, WA 98109, USA

Abstract

The sheer diversity of HLA alleles makes the probability of finding matched unrelated donors for patients requiring hematopoietic cell transplantation (HCT) a complex situation. New evidence suggests that mismatching at certain HLA loci may provide a greater benefit in terms of graft-versus-leukemia effect than other mismatches when HLA-matched donors are not available. This review summarizes the current understanding of HLA matching requirements for unrelated donor HCT.

Keywords: allele; GVHD; graft-versus-host disease; GVL; graft versus leukemia; hematopoietic cell transplantation; HCT; HLA; matched; mismatched.

Tel.: +1-206-667-5244

Fax: +1-206-667-5255

E-mail: epetersd@fredhutch.org

Disclosure:

No financial relationships with any commercial interest.

Download English Version:

https://daneshyari.com/en/article/8429132

Download Persian Version:

 $\underline{https://daneshyari.com/article/8429132}$

Daneshyari.com