

Accepted Manuscript


Title: Refractory Graft-Versus-Host Disease-Free, Relapse-Free Survival as an Accurate and Easy-to-Calculate Endpoint to Assess the Long-Term Transplant Success

Author: Koji Kawamura, Hideki Nakasone, Saiko Kurosawa, Kazuki Yoshimura, Yukiko Misaki, Ayumi Gomyo, Jin Hayakawa, Masaharu Tamaki, Yu Akahoshi, Machiko Kusuda, Kazuaki Kameda, Hidenori Wada, Yuko Ishihara, Miki Sato, Kiriko Terasako-Saito, Misato Kikuchi, Shun-ichi Kimura, Aki Tanihara, Shinichi Kako, Heiwa Kanamori, Takehiko Mori, Satoshi Takahashi, Shuichi Taniguchi, Yoshiko Atsuta, Yoshinobu Kanda

PII: S1083-8791(18)30082-X
DOI: <https://doi.org/10.1016/j.bbmt.2018.02.004>
Reference: YBBMT 55031

To appear in: *Biology of Blood and Marrow Transplantation*

Received date: 7-12-2017
Accepted date: 7-2-2018



Please cite this article as: Koji Kawamura, Hideki Nakasone, Saiko Kurosawa, Kazuki Yoshimura, Yukiko Misaki, Ayumi Gomyo, Jin Hayakawa, Masaharu Tamaki, Yu Akahoshi, Machiko Kusuda, Kazuaki Kameda, Hidenori Wada, Yuko Ishihara, Miki Sato, Kiriko Terasako-Saito, Misato Kikuchi, Shun-ichi Kimura, Aki Tanihara, Shinichi Kako, Heiwa Kanamori, Takehiko Mori, Satoshi Takahashi, Shuichi Taniguchi, Yoshiko Atsuta, Yoshinobu Kanda, Refractory Graft-Versus-Host Disease-Free, Relapse-Free Survival as an Accurate and Easy-to-Calculate Endpoint to Assess the Long-Term Transplant Success, *Biology of Blood and Marrow Transplantation* (2018), <https://doi.org/10.1016/j.bbmt.2018.02.004>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Refractory graft-versus-host disease-free, relapse-free survival as an accurate and easy-to-calculate endpoint to assess the long-term transplant success

Koji Kawamura¹, Hideki Nakasone¹, Saiko Kurosawa², Kazuki Yoshimura¹, Yukiko Misaki¹, Ayumi Gomyo¹, Jin Hayakawa¹, Masaharu Tamaki¹, Yu Akahoshi¹, Machiko Kusuda¹, Kazuaki Kameda¹, Hidenori Wada¹, Yuko Ishihara¹, Miki Sato¹, Kiriko Terasako-Saito¹, Misato Kikuchi¹, Shun-ichi Kimura¹, Aki Tanihara¹, Shinichi Kako¹, Heiwa Kanamori³, Takehiko Mori⁴, Satoshi Takahashi⁵, Shuichi Taniguchi⁶, Yoshiko Atsuta^{7,8}, Yoshinobu Kanda^{1,9}

¹*Division of Hematology, Saitama Medical Center, Jichi Medical University, Saitama, Japan;*

²*Department of Hematopoietic Stem Cell Transplantation, National Cancer Center Hospital, Tokyo,*

Japan; ³*Department of Hematology, Kanagawa Cancer Center, Yokohama, Japan;* ⁴*Division of*

Hematology, Department of Medicine, Keio University School of Medicine, Tokyo, Japan;

⁵*Department of Hematology and Oncology, The Institute of Medical Science, The University of*

Tokyo, Tokyo, Japan; ⁶*Department of Hematology, Toranomon Hospital, Tokyo, Japan;* ⁷*Japanese*

Data Center for Hematopoietic Cell Transplantation, Nagoya, Japan; ⁸*Department of Healthcare*

Administration, Nagoya University Graduate School of Medicine, Nagoya, Japan; ⁹*Division of*

Hematology, Department of Medicine, Jichi Medical University, Shimotsuke, Japan.

Download English Version:

<https://daneshyari.com/en/article/8429779>

Download Persian Version:

<https://daneshyari.com/article/8429779>

[Daneshyari.com](https://daneshyari.com)