

Accepted Manuscript

Title: Reduced Intensity Allogeneic Transplant for Acute Myeloid Leukemia and Myelodysplastic Syndrome Using Combined CD34-Selected Haploidentical Graft and a Single Umbilical Cord Unit Compared to Matched Unrelated Donor Stem Cells in Older Adults

Author: Stephanie B. Tsai, Joanna Rhodes, Hongtao Liu, Tsiporah Shore, Michael Bishop, Melissa M. Cushing, Usama Gergis, Lucy Godley, Justin Kline, Richard A. Larson, Sebastian Mayer, Olatoyosi Odenike, Wendy Stock, Amittha Wickrema, Koen van Besien, Andrew S. Artz


PII: S1083-8791(17)31824-4
DOI: <https://doi.org/10.1016/j.bbmt.2017.12.794>
Reference: YBBMT 54976

To appear in: *Biology of Blood and Marrow Transplantation*

Received date: 22-5-2017
Accepted date: 20-12-2017

Please cite this article as: Stephanie B. Tsai, Joanna Rhodes, Hongtao Liu, Tsiporah Shore, Michael Bishop, Melissa M. Cushing, Usama Gergis, Lucy Godley, Justin Kline, Richard A. Larson, Sebastian Mayer, Olatoyosi Odenike, Wendy Stock, Amittha Wickrema, Koen van Besien, Andrew S. Artz, Reduced Intensity Allogeneic Transplant for Acute Myeloid Leukemia and Myelodysplastic Syndrome Using Combined CD34-Selected Haploidentical Graft and a Single Umbilical Cord Unit Compared to Matched Unrelated Donor Stem Cells in Older Adults, *Biology of Blood and Marrow Transplantation* (2017), <https://doi.org/10.1016/j.bbmt.2017.12.794>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Reduced intensity allogeneic transplant for acute myeloid leukemia and myelodysplastic syndrome using combined CD34-selected haploidentical graft and a single umbilical cord unit compared to matched unrelated donor stem cells in older adults

Stephanie B. Tsai^{1,2}, Joanna Rhodes³, Hongtao Liu¹, Tsiporah Shore³, Michael Bishop¹, Melissa M. Cushing⁴, Usama Gergis³, Lucy Godley¹, Justin Kline¹, Richard A. Larson¹, Sebastian Mayer³, Olatoyosi Odenike², Wendy Stock¹, Amittha Wickrema¹, Koen van Besien³, Andrew S. Artz¹

¹Section of Hematology/Oncology, Department of Medicine, University of Chicago, Chicago, IL;

²Section of Hematology-Oncology, Department of Medicine, Loyola University Medical Center,

Maywood, IL; ³Hematopoietic Stem Cell Transplant Program, Weill-Cornell Medical College,

New York City, NY; ⁴Department of Pathology, Weill-Cornell Medical College, New York City, NY;

Corresponding Author: Andrew S. Artz, MD, MS
University of Chicago Medicine
Section of Hematology/Oncology
5841 S Maryland Ave
Chicago, IL 60637

Tel: (773) 834-8980
Email: aartz@medicine.bsd.uchicago.edu

Short Title: Haplo/cord versus Matched Unrelated Donor

Download English Version:

<https://daneshyari.com/en/article/8429975>

Download Persian Version:

<https://daneshyari.com/article/8429975>

[Daneshyari.com](https://daneshyari.com)