Accepted Manuscript

Title: Japanese Recipients Who Receive HLA-Matched Hematopoietic Cell Transplantation for Their Myeloid Leukemia Have an Advantage to Prevent Recurrence if They Have Homozygous HLA-C1

Author: Nobuyoshi Arima, Junya Kanda, Junji Tanaka, Toshio Yabe, Yasuo Morishima, Sung-Won Kim, Yuho Najima, Yukiyasu Ozawa, Tetsuya Eto, Heiwa Kanamori, Takehiko Mori, Naoki Kobayashi, Tadakazu Kondo, Hirohisa Nakamae, Naoyuki Uchida, Masami Inoue, Takahiro Fukuda, Tatsuo Ichinohe, Yoshiko Atsuta, Yoshinobu Kanda

Biology of Blood and Marrow Transplantation

PII: S1083-8791(17)30876-5

DOI: https://doi.org/10.1016/j.bbmt.2017.11.029

Reference: YBBMT 54886

To appear in: Biology of Blood and Marrow Transplantation

Received date: 11-9-2017 Accepted date: 20-11-2017

Please cite this article as: Nobuyoshi Arima, Junya Kanda, Junji Tanaka, Toshio Yabe, Yasuo Morishima, Sung-Won Kim, Yuho Najima, Yukiyasu Ozawa, Tetsuya Eto, Heiwa Kanamori, Takehiko Mori, Naoki Kobayashi, Tadakazu Kondo, Hirohisa Nakamae, Naoyuki Uchida, Masami Inoue, Takahiro Fukuda, Tatsuo Ichinohe, Yoshiko Atsuta, Yoshinobu Kanda, Japanese Recipients Who Receive HLA-Matched Hematopoietic Cell Transplantation for Their Myeloid Leukemia Have an Advantage to Prevent Recurrence if They Have Homozygous HLA-C1, *Biology of Blood and Marrow Transplantation* (2017), https://doi.org/10.1016/j.bbmt.2017.11.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Regular Manuscripts

Japanese recipients who receive HLA-matched hematopoietic cell transplantation for their myeloid leukemia have an advantage to prevent recurrence if they have homozygous HLA-C1

*Nobuyoshi Arima¹, Junya Kanda², Junji Tanaka³, Toshio Yabe⁴, Yasuo Morishima⁵, Sung-Won Kim⁶, Yuho Najima⁷, Yukiyasu Ozawa⁶, Tetsuya Eto⁶, Heiwa Kanamori¹⁰, Takehiko Mori¹¹, Naoki Kobayashi¹², Tadakazu Kondo², Hirohisa Nakamae¹³, Naoyuki Uchida¹⁴, Masami Inoue¹⁵, Takahiro Fukuda⁶, Tatsuo Ichinohe¹⁶, Yoshiko Atsuta¹⊓, and Yoshinobu Kanda¹⁰

¹Department of Hematology, Medical Research Institute Kitano Hospital, Osaka, Japan,

²Department of Hematology and Oncology, Graduate School of Medicine, Kyoto University, Kyoto,

Japan

³Department of Hematology, Tokyo Women's Medical University, Tokyo, Japan,

⁴Hematology Division, Japanese Red Cross Tokyo Metropolitan Blood Center, Tokyo, Japan,

Download English Version:

https://daneshyari.com/en/article/8429987

Download Persian Version:

https://daneshyari.com/article/8429987

<u>Daneshyari.com</u>