Accepted Manuscript

 $\label{thm:continuous} \mbox{Title: An Old Friend is Trouble for Double-Expressor and Double-Hit}$

Lymphoma

Author: Michael Scordo

PII: S1083-8791(18)30027-2

DOI: https://doi.org/10.1016/j.bbmt.2018.01.012

Reference: YBBMT 54999

To appear in: Biology of Blood and Marrow Transplantation

Received date: 8-1-2018 Accepted date: 9-1-2018



Please cite this article as: Michael Scordo, An Old Friend is Trouble for Double-Expressor and Double-Hit Lymphoma, *Biology of Blood and Marrow Transplantation* (2018), https://doi.org/10.1016/j.bbmt.2018.01.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

1	Title : An Old Friend is Trouble for Double-Expressor and Double-Hit Lymphoma
2	
3	Author: Michael Scordo, MD ^{1, 2}
4 5 6 7 8 9 10 11 12 13 14	Michael Scordo, MD Assistant Attending Adult Bone Marrow Transplant Service Department of Medicine Memorial Sloan Kettering Cancer Center 1275 York Avenue New York, NY 10065 E-mail: scordom@mskcc.org Phone: 212-639-6052 Fax: 212-717-3394
15 16 17 18 19 20 21 22 23 24 25	Affiliations: ¹Adult Bone Marrow Transplant Service, Department of Medicine, Memorial Sloan Kettering Cancer Center ²Department of Medicine, Weill Cornell Medical College Keywords: Double-expressor lymphoma; Double-hit lymphoma; Allogeneic Hematopoietic Cell Transplantation Conflicts of Interest: There are no other relevant conflicts of interests in relation to the work described.
26	Commentary: It is now well established that patients with aggressive subtypes of diffuse
27	large B-cell lymphoma (DLBCL), namely double-expressor lymphoma (DEL) and double-
28	hit lymphoma (DHL), have unfavorable outcomes after standard chemo-immunotherapy
29	induction.1 Even patients with DEL and DHL who achieve chemosensitive remission
30	after initial relapse fare worse after consolidative high-dose therapy and autologous stem
31	cell transplantation than their counterparts without these distinct disease subtypes. ^{2,3}
32	Many in the field have justifiably called for innovative approaches to tackling these
33	entities as an area of unmet need.
34	
35	In this issue of BBMT, Herrera et al. remind us that in an era of ever-expanding use of
36	novel immunotherapies and cellular therapies, sometimes old, familiar friends should not

Download English Version:

https://daneshyari.com/en/article/8429988

Download Persian Version:

https://daneshyari.com/article/8429988

<u>Daneshyari.com</u>