Muscle Weakness in Rheumatoid Arthritis: The Role of Ca2+ and Free Radical Signaling

Takashi Yamada, Maarten M. Steinz, Ellinor Kenne, Johanna T. Lanner

PII: S2352-3964(17)30294-3
DOI: doi: 10.1016/j.ebiom.2017.07.023
Reference: EBIOM 1143

To appear in: *EBioMedicine*

Received date: 12 May 2017
Revised date: 13 July 2017
Accepted date: 24 July 2017

Please cite this article as: Takashi Yamada, Maarten M. Steinz, Ellinor Kenne, Johanna T. Lanner , Muscle Weakness in Rheumatoid Arthritis: The Role of Ca2+ and Free Radical Signaling. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ebiom(2017), doi: 10.1016/j.ebiom.2017.07.023

Muscle weakness in rheumatoid arthritis: the role of Ca^{2+} and free radical signaling

Takashi Yamada[1], Maarten M Steinz[2], Ellinor Kenne[2], Johanna T Lanner[2]

[1]Graduate School of Health Sciences, Sapporo Medical University, Sapporo, Japan
[2]Department of Physiology and Pharmacology, Karolinska Institutet, Stockholm, Sweden

Address for correspondence:
Johanna T Lanner
Department of Physiology and Pharmacology
Karolinska Institutet
Von Eulerväg 8, 3rd floor
171 77 Stockholm,
Sweden
Phone: +46 852492373, +46 720058348
E-mail: Johanna.Lanner@ki.se