

## Accepted Manuscript

A Natural CCR2 Antagonist Relieves Tumor-associated Macrophage-mediated Immunosuppression to Produce a Therapeutic Effect for Liver Cancer

Wenbo Yao, Qian Ba, Xiaoguang Li, Huiliang Li, Shoude Zhang, Ya Yuan, Feng Wang, Xiaohua Duan, Jingquan Li, Weidong Zhang, Hui Wang



PII: S2352-3964(17)30287-6  
DOI: doi: [10.1016/j.ebiom.2017.07.014](https://doi.org/10.1016/j.ebiom.2017.07.014)  
Reference: EBIOM 1134  
To appear in: *EBioMedicine*  
Received date: 19 April 2017  
Revised date: 7 July 2017  
Accepted date: 14 July 2017

Please cite this article as: Wenbo Yao, Qian Ba, Xiaoguang Li, Huiliang Li, Shoude Zhang, Ya Yuan, Feng Wang, Xiaohua Duan, Jingquan Li, Weidong Zhang, Hui Wang , A Natural CCR2 Antagonist Relieves Tumor-associated Macrophage-mediated Immunosuppression to Produce a Therapeutic Effect for Liver Cancer. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Ebiom*(2017), doi: [10.1016/j.ebiom.2017.07.014](https://doi.org/10.1016/j.ebiom.2017.07.014)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**A natural CCR2 antagonist relieves tumor-associated macrophage-mediated immunosuppression to produce a therapeutic effect for liver cancer**

Wenbo Yao<sup>1</sup>, Qian Ba<sup>2</sup>, Xiaoguang Li<sup>2</sup>, Huiliang Li<sup>3</sup>, Shoude Zhang<sup>4</sup>, Ya Yuan<sup>1</sup>, Feng Wang<sup>5</sup>, Xiaohua Duan<sup>5</sup>, Jingquan Li<sup>1,2</sup>, Weidong Zhang<sup>3,4, \*</sup>, and Hui Wang<sup>2,1,5, \*</sup>

<sup>1</sup> Key Laboratory of Food Safety Research, Institute for Nutritional Sciences, Shanghai Institutes for Biological Sciences, Chinese Academy of Sciences, Shanghai, 200031, China; University of Chinese Academy of Sciences, Shanghai, 200031, China;

<sup>2</sup> School of Public Health, Shanghai Jiao Tong University School of Medicine, Shanghai, 200025, China;

<sup>3</sup> Department of Phytochemistry, School of Pharmacy, Second Military Medical University, Shanghai, 200433, China;

<sup>4</sup> Shanghai Key Laboratory of New Drug Design, State Key Laboratory of Bioreactor Engineering, School of Pharmacy, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, China;

<sup>5</sup> School of Life Science and Technology, ShanghaiTech University, Shanghai, 200031, China;

**\*Corresponding Author:** Hui Wang, Institute for Nutritional Sciences, Shanghai Institutes for Biological Sciences, Chinese Academy of Sciences, 320 YueYang Road, Shanghai 200031, University of Chinese Academy of Sciences, Shanghai, 200031, PR China. Phone: 86-21-54920941; Fax: 86-21-54920291; E-mail: [huiwang@sibs.ac.cn](mailto:huiwang@sibs.ac.cn); and Weidong Zhang, Department of Phytochemistry, School of Pharmacy, Second Military Medical University, Rm 1106, No. 1 Building, 325 GuoHe Road, Shanghai 200433, PR China. Phone: 86-21-81871244; Fax: 86-21-81871245; E-mail: [wzhangy@hotmail.com](mailto:wzhangy@hotmail.com)

Download English Version:

<https://daneshyari.com/en/article/8438056>

Download Persian Version:

<https://daneshyari.com/article/8438056>

[Daneshyari.com](https://daneshyari.com)