

Accepted Manuscript

Violet Light Exposure Can Be a Preventive Strategy Against Myopia Progression

Hidemasa Torii, Toshihide Kurihara, Yuko Seko, Kazuno Negishi, Kazuhiko Ohnuma, Takaaki Inaba, Motoko Kawashima, Xiaoyan Jiang, Shinichiro Kondo, Maki Miyauchi, Yukihiro Miwa, Yusaku Katada, Keiichi Kato, Kinya Tsubota, Hiroshi Goto, Mayumi Oda, Megumi Hatori, Kazuo Tsubota



PII: S2352-3964(16)30586-2
DOI: doi: [10.1016/j.ebiom.2016.12.007](https://doi.org/10.1016/j.ebiom.2016.12.007)
Reference: EBiom 895

To appear in: *EBioMedicine*

Received date: 27 October 2016
Revised date: 13 December 2016
Accepted date: 13 December 2016

Please cite this article as: Torii, Hidemasa, Kurihara, Toshihide, Seko, Yuko, Negishi, Kazuno, Ohnuma, Kazuhiko, Inaba, Takaaki, Kawashima, Motoko, Jiang, Xiaoyan, Kondo, Shinichiro, Miyauchi, Maki, Miwa, Yukihiro, Katada, Yusaku, Kato, Keiichi, Tsubota, Kinya, Goto, Hiroshi, Oda, Mayumi, Hatori, Megumi, Tsubota, Kazuo, Violet Light Exposure Can Be a Preventive Strategy Against Myopia Progression, *EBioMedicine* (2016), doi: [10.1016/j.ebiom.2016.12.007](https://doi.org/10.1016/j.ebiom.2016.12.007)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Violet light exposure can be a preventive strategy against myopia progression

Hidemasa Torii^{a,b}, Toshihide Kurihara^{a,b}, Yuko Seko^c, Kazuno Negishi^a, Kazuhiko Ohnuma^d, Takaaki Inaba^{a,e}, Motoko Kawashima^a, Xiaoyan Jiang^b, Shinichiro Kondo^a, Maki Miyauchi^b, Yukihiro Miwa^b, Yusaku Katada^b, Keiichi Kato^f, Kinya Tsubota^{b,g}, Hiroshi Goto^g, Mayumi Oda^h, Megumi Hatori^{a,b,i}, Kazuo Tsubota^{a,*}

^aDepartment of Ophthalmology, Keio University School of Medicine, 35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan.

^bLaboratory of Photobiology, Keio University School of Medicine, 35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan.

^cVisual Functions Section, Department of Rehabilitation for Sensory Functions, Research Institute, National Rehabilitation Center for Persons with Disabilities, Tokorozawa-shi, Saitama 359-8555, Japan.

^dCenter for Frontier Medical Engineering, Chiba University, 1-33 Yayoi-cho, Inage-ku, Chiba 263-8522, Japan.

^eOphthalmic Research and Development Center, Santen Pharmaceutical Co. Ltd, 8916-16 Takayama-cho, Ikoma-shi, Nara 630-0101, Japan.

^fKato Eye Center, 2-8-10, Yoshioka-higashi, Taiwa-cho, Kurokawa-gun, Miyagi 981-3627, Japan.

^gDepartment of Ophthalmology, Tokyo Medical University, 6-7-1 Nishishinjuku, Shinjuku-ku, Tokyo 160-0023, Japan.

Download English Version:

<https://daneshyari.com/en/article/8438758>

Download Persian Version:

<https://daneshyari.com/article/8438758>

[Daneshyari.com](https://daneshyari.com)