


Author's Accepted Manuscript

Multiple coagulation factor deficiency protein 2 as a crucial component in metastasis of human oral cancer

Megumi Fukamachi, Atsushi Kasamatsu, Yosuke Endo-Sakamoto, Kazuaki Fushimi, Hiroki Kasama, Manabu Iyoda, Yasuyuki Minakawa, Masashi Shiiba, Hideki Tanzawa, Katsuhiro Uzawa



PII: S0014-4827(18)30241-6
DOI: <https://doi.org/10.1016/j.yexcr.2018.04.021>
Reference: YEXCR11013

To appear in: *Experimental Cell Research*

Received date: 20 December 2017

Revised date: 29 March 2018

Accepted date: 17 April 2018

Cite this article as: Megumi Fukamachi, Atsushi Kasamatsu, Yosuke Endo-Sakamoto, Kazuaki Fushimi, Hiroki Kasama, Manabu Iyoda, Yasuyuki Minakawa, Masashi Shiiba, Hideki Tanzawa and Katsuhiro Uzawa, Multiple coagulation factor deficiency protein 2 as a crucial component in metastasis of human oral cancer, *Experimental Cell Research*, <https://doi.org/10.1016/j.yexcr.2018.04.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Multiple coagulation factor deficiency protein 2 as a crucial component in metastasis of human oral cancer

Megumi Fukamachi^a, Atsushi Kasamatsu^{b*}, Yosuke Endo-Sakamoto^b, Kazuaki Fushimi^c, Hiroki Kasama^c, Manabu Iyoda^d, Yasuyuki Minakawa^{a,e}, Masashi Shiiba^f, Hideki Tanzawa^{a,b}, Katsuhiko Uzawa^{a,b*}

^aDepartment of Oral Science, Graduate School of Medicine, Chiba University, Chiba, Japan

^bDepartment of Dentistry and Oral-Maxillofacial Surgery, Chiba University Hospital, Chiba, Japan

^cDivision of Oral Surgery, Eastern Chiba Medical Center, Chiba, Japan

^dDivision of Oral Surgery, Chiba Rosai Hospital, Chiba, Japan

^eDivision of Dentistry, Chiba Prefectural Sawara Hospital, Chiba, Japan

^fDepartment of Medical Oncology, Graduate School of Medicine, Chiba University, Chiba, Japan

kasamatsua@faculty.chiba-u.jp (A. Kasamatsu)

uzawak@faculty.chiba-u.jp (K. Uzawa).

*Correspondence to: Department of Oral Science, Graduate School of Medicine, Chiba University, 1-8-1 Inohana, Chuo-ku, Chiba 260-8670, Japan. Fax: +81-43-226-2300.

ABSTRACT

Multiple coagulation factor deficiency protein 2 (MCFD2), a binding partner of lectin mannose binding 1 (LMAN1), causes combined deficiencies of coagulation factors V and VIII. MCFD2 function in inherited hematologic disorders is well elucidated;

Download English Version:

<https://daneshyari.com/en/article/8450564>

Download Persian Version:

<https://daneshyari.com/article/8450564>

[Daneshyari.com](https://daneshyari.com)