


Author's Accepted Manuscript

Bach2 regulates aberrant activation of B cell in systemic lupus erythematosus and can be negatively regulated by BCR-ABL/PI3K

Zhengwei Zhu, Chao Yang, Leilei Wen, Lu Liu, Xianbo Zuo, Fusheng Zhou, Jinping Gao, Xiaodong Zheng, Yinjuan Shi, Caihong Zhu, Bo Liang, Xianyong Yin, Wenjun Wang, Hui Cheng, Songke Shen, Xianfa Tang, Huayang Tang, Liangdan Sun, Anping Zhang, Sen Yang, Yong Cui, Xuejun Zhang, Yujun Sheng



PII: S0014-4827(18)30117-4
DOI: <https://doi.org/10.1016/j.yexcr.2018.02.034>
Reference: YEXCR10947

To appear in: *Experimental Cell Research*

Received date: 12 January 2018
Revised date: 26 February 2018
Accepted date: 27 February 2018

Cite this article as: Zhengwei Zhu, Chao Yang, Leilei Wen, Lu Liu, Xianbo Zuo, Fusheng Zhou, Jinping Gao, Xiaodong Zheng, Yinjuan Shi, Caihong Zhu, Bo Liang, Xianyong Yin, Wenjun Wang, Hui Cheng, Songke Shen, Xianfa Tang, Huayang Tang, Liangdan Sun, Anping Zhang, Sen Yang, Yong Cui, Xuejun Zhang and Yujun Sheng, Bach2 regulates aberrant activation of B cell in systemic lupus erythematosus and can be negatively regulated by BCR-ABL/PI3K, *Experimental Cell Research*, <https://doi.org/10.1016/j.yexcr.2018.02.034>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Bach2 regulates aberrant activation of B cell in systemic lupus erythematosus
and can be negatively regulated by BCR-ABL/PI3K**

Zhengwei Zhu^{a,b}, Chao Yang^{a,b}, Leilei Wen^{a,b}, Lu Liu^{a,b}, Xianbo Zuo^{a,b}, Fusheng Zhou^{a,b}, Jinping Gao^{a,b}, Xiaodong Zheng^{a,b}, Yinjuan Shi^{a,b}, Caihong Zhu^{a,b}, Bo Liang^{a,b}, Xianyong Yin^{a,b}, Wenjun Wang^{a,b}, Hui Cheng^{a,b}, Songke Shen^{a,b}, Xianfa Tang^{a,b}, Huayang Tang^{a,b}, Liangdan Sun^{a,b}, Anping Zhang^{a,b}, Sen Yang^{a,b}, Yong Cui^c, Xuejun Zhang^{a,b}, Yujun Sheng^{a,b*}

^a Institute of Dermatology and Department of Dermatology, the First Affiliated Hospital, Anhui Medical University, No. 81 Meishan Road, Hefei, Anhui 230032, China

^b Key Laboratory of Dermatology, Anhui Medical University, Ministry of Education, Hefei, Anhui 230032, China

^c Department of Dermatology, China–Japan Friendship Hospital, East Street Cherry Park, Chaoyang District, Beijing 100029, China

*Corresponding author: Yujun Sheng, Ph.D. Tel: +86-0551-62922235; E-mail: ahmusyj@foxmail.com

Download English Version:

<https://daneshyari.com/en/article/8451013>

Download Persian Version:

<https://daneshyari.com/article/8451013>

[Daneshyari.com](https://daneshyari.com)