RalGPS2 is involved in tunneling nanotubes formation in 5637 bladder cancer cells

A. D'Aloia, G. Berruti, B. Costa, C. Schiller, R. Ambrosini, V. Pastori, E. Martegani, M. Ceriani



www.elsevier.com/locate/yexcr

PII: S0014-4827(17)30639-0
DOI: http://dx.doi.org/10.1016/j.yexcr.2017.11.036
Reference: YEXCR10836

To appear in: *Experimental Cell Research*

Received date: 30 August 2017
Revised date: 27 November 2017
Accepted date: 29 November 2017

Cite this article as: A. D'Aloia, G. Berruti, B. Costa, C. Schiller, R. Ambrosini V. Pastori, E. Martegani and M. Ceriani, RalGPS2 is involved in tunneling nanotubes formation in 5637 bladder cancer cells, *Experimental Cell Research* http://dx.doi.org/10.1016/j.yexcr.2017.11.036

RalGPS2 is involved in tunneling nanotubes formation in 5637 bladder cancer cells.

A. D'Aloia[1], G. Berruti[2], B. Costa[1], C. Schiller[3], R. Ambrosini[4], V. Pastori[1], E. Martegani[1] and M. Ceriani[1*]

[1]Department of Biotechnology and Biosciences, University of Milano-Bicocca, Piazza della Scienza 2, 20126 Milan, Italy

[2]Department of Biosciences, University of Milan, Via Celoria 26, 20133 Milan, Italy

[3]Department of Biology II, Ludwigs-Maximilians-Universitat Munchen, Großhadernerstr. 2, 82152 Planegg-Martinsried, Germany

[4]Department of Earth and Environmental Sciences, University of Milano-Bicocca, Piazza della Scienza 2, 20126 Milan, Italy

a.daloia1@campus.unimib.it

barbara.costa@unimib.it

valentina.pastori@unimib.it

enzo.martegani@unimib.it

michela.ceriani@unimib.it)

giovanna.berruti@unimi.it

C.Schiller@lrz.uni-muenchen.de

roberto.ambrosini@unimib.it

*To whom correspondence should be addressed at: Department of Biotechnology and Bioscience, University of Milano-Bicocca, Piazza della Scienza 2, 20126 Milano, Italy. Tel: +390264483544; Fax: +390264483565