Accepted Manuscript

Title: Secondary Acute Lymphoblastic Leukemia, a retrospective analysis from Washington University and meta-analysis of published data

Authors: Francesca Ferraro, Feng Gao, Keith

Stockerl-Goldstein, Peter Westervelt, John F. DiPersio, Armin

Ghobadi

PII: S0145-2126(18)30176-0

DOI: https://doi.org/10.1016/j.leukres.2018.07.024

Reference: LR 6009

To appear in: Leukemia Research

Received date: 28-4-2018 Revised date: 30-7-2018 Accepted date: 30-7-2018

Please cite this article as: Ferraro F, Gao F, Stockerl-Goldstein K, Westervelt P, DiPersio JF, Ghobadi A, Secondary Acute Lymphoblastic Leukemia, a retrospective analysis from Washington University and meta-analysis of published data, *Leukemia Research* (2018), https://doi.org/10.1016/j.leukres.2018.07.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Secondary Acute Lymphoblastic Leukemia, a retrospective analysis from Washington University and metaanalysis of published data.

Francesca Ferraro¹, Feng Gao², Keith Stockerl-Goldstein¹, Peter Westervelt¹, John F. DiPersio¹, and Armin Ghobadi¹

Affiliations:

¹Department of Internal Medicine, Division of Oncology, Washington University School of Medicine, St. Louis, MO, 63110, USA.

²Department of Surgery, Division of Public Health Sciences, Washington University School of Medicine, St. Louis, MO, 63110, USA.

*Corresponding author: Armin Ghobadi, MD, Washington University School of Medicine, Division of Medical Oncology, Section of Stem Cell Transplant and Leukemia, 660 S. Euclid Avenue, Campus Box 8007-29, St. Louis, MO 63110, Office: 314-747-2743, Fax: 314-454-7551

Email: arminghobadi@wustl.edu

Highlights:

- The latency of s-ALL is shorter post chemotherapy compared with radiotherapy or surgery alone.
- Patients with s-ALL have worse overall survival independent of other known prognostic factors.
- Allogeneic transplant with myeloablative conditioning does not improve OS due to high TRM.

Download English Version:

https://daneshyari.com/en/article/8453261

Download Persian Version:

https://daneshyari.com/article/8453261

<u>Daneshyari.com</u>