

Accepted Manuscript

Title: Risk factors for pulmonary nodules in north China: A prospective cohort study

Authors: Yu-Tong He, Ya-Chen Zhang, Gao-Feng Shi, Qi Wang, Qian Xu, Di Liang, Yu Du, Dao-Juan Li, Jing Jin, Bao-En Shan



PII: S0169-5002(18)30310-6
DOI: <https://doi.org/10.1016/j.lungcan.2018.03.021>
Reference: LUNG 5607

To appear in: *Lung Cancer*

Received date: 28-11-2017
Revised date: 15-1-2018
Accepted date: 21-3-2018

Please cite this article as: He Yu-Tong, Zhang Ya-Chen, Shi Gao-Feng, Wang Qi, Xu Qian, Liang Di, Du Yu, Li Dao-Juan, Jin Jing, Shan Bao-En. Risk factors for pulmonary nodules in north China: A prospective cohort study. *Lung Cancer* <https://doi.org/10.1016/j.lungcan.2018.03.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Risk factors for pulmonary nodules in north China: a prospective cohort study

Yu-Tong He^a, Ya-Chen Zhang^a, Gao-Feng Shi^b, Qi Wang^b, Qian Xu^b, Di Liang^a, Yu Du^b, Dao-Juan Li^a, Jing Jin^a, Bao-En Shan^a

^a *Cancer Institute, The Fourth Hospital of Hebei Medical University, The Tumor Hospital of Hebei Province, Shijiazhuang, Hebei 050011, P.R. China*

^b *Department of Radiology, The Fourth Hospital of Hebei Medical University, The Tumor Hospital of Hebei Province, Shijiazhuang, Hebei 050011, P.R. China*

Corresponding author: Address: Cancer Institute, The Fourth Hospital of Hebei Medical University, The Tumor Hospital of Hebei Province, Shijiazhuang, Hebei 050011, P.R. China, E-mail address: baoenshan@hbydsy.com (Baoen Shan).

Highlights:

- »Smoking and second hand smoke (SHS) exposure increase the risk of pulmonary nodules.
- »Lung diseases and family history of cancer are associated with pulmonary nodules.
- » Pickled food consumption could also increase the risk of pulmonary nodules.
- »Eating vegetables and legume food can reduce the risk of pulmonary nodules.
- » Drinking tea is associated with pulmonary nodules.

Download English Version:

<https://daneshyari.com/en/article/8453824>

Download Persian Version:

<https://daneshyari.com/article/8453824>

[Daneshyari.com](https://daneshyari.com)