# Exosomal αvβ6 integrin is required for monocyte M2 polarization in prostate cancer


Huimin Lu, Nicholas Bowler, Larry A. Harshyne, D. Craig Hooper, Shiv Ram Krishn, Senem Kurtoglu, Carmine Fedele, Qin Liu, Hsin-Yao Tang, Andrew V. Kossenkov, William K. Kelly, Kerith Wang, Rhonda B. Kean, Paul H. Weinreb, Lei Yu, Anindita Dutta, Paolo Fortina, Adam Ertel, Maria Stanczak, Flemming Forsberg, Dmitry I. Gabrilovich, David W. Speicher, Dario C. Altieri, Lucia R. Languino

PII: S0945-053X(18)30081-7
DOI: doi:10.1016/j.matbio.2018.03.009
Reference: MATBIO 1459

To appear in:

Received date: 15 February 2018
Revised date: 8 March 2018
Accepted date: 8 March 2018

Please cite this article as: Huimin Lu, Nicholas Bowler, Larry A. Harshyne, D. Craig Hooper, Shiv Ram Krishn, Senem Kurtoglu, Carmine Fedele, Qin Liu, Hsin-Yao Tang, Andrew V. Kossenkov, William K. Kelly, Kerith Wang, Rhonda B. Kean, Paul H. Weinreb, Lei Yu, Anindita Dutta, Paolo Fortina, Adam Ertel, Maria Stanczak, Flemming Forsberg, Dmitry I. Gabrilovich, David W. Speicher, Dario C. Altieri, Lucia R. Languino , Exosomal αvβ6 integrin is required for monocyte M2 polarization in prostate cancer. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Matbio(2017), doi:10.1016/j.matbio.2018.03.009

# Exosomal $\alpha_v\beta_6$ Integrin Is Required for Monocyte M2 Polarization In Prostate Cancer

Huimin Lu[1,2], Nicholas Bowler[2], Larry A. Harshyne[3], D. Craig Hooper[2,3], Shiv Ram Krishn[1,2], Senem Kurtoglu[1,2], Carmine Fedele[1,2,#], Qin Liu[1,4], Hsin-Yao Tang[5], Andrew V. Kossenkov[5], William K. Kelly[6], Kerith Wang[6], Rhonda B. Kean[2,3], Paul H. Weinreb[7], Lei Yu[8], Anindita Dutta[1,2,#], Paolo Fortina[2,9], Adam Ertel[2,9], Maria Stanczak[10], Flemming Forsberg[10], Dmitry I. Gabrilovich[1,11], David W. Speicher[4,5], Dario C. Altieri[1,11] and Lucia R. Languino[1,2]

[1]Prostate Cancer Discovery and Development Program, [2]Department of Cancer Biology, Sidney Kimmel Cancer Center, [3]Department of Neurological Surgery, Thomas Jefferson University; [4]Molecular and Cellular Oncogenesis Program, [5]Proteomics and Metabolomics Facility and Center for Systems and Computational Biology, Wistar Institute, Philadelphia, PA, USA; [6]Departments of Medical Oncology, Sidney Kimmel Cancer Center, Thomas Jefferson University, Philadelphia, PA, USA. [7]Biogen Idec Inc., Cambridge, MA, USA; [8]Flow Cytometry Core Facility and [9]Cancer Genomics and Bioinformatics Laboratory, Sidney Kimmel Cancer Center, Philadelphia, PA, USA; [10]Department of Radiology, Thomas Jefferson University; [11]Immunology, Microenvironment and Metastasis Program, Wistar Institute, Philadelphia, PA, USA.

[#]Current address:
Anindita Dutta: TATA Translational Cancer Research Centre, TATA Medical Center, Kolkata, India; and
Carmine Fedele: Laura and Isaac Perlmutter Cancer Center, NYU Langone Health, New York, NY, 10016, USA

**Corresponding author**

Lucia R. Languino, 233 S. 10th Street, BLSB 506, Philadelphia, PA 19107, 215-503-3442, Fax: 215-923-9248, Lucia.Languino@jefferson.edu