

Accepted Manuscript

Title: Salivary biomarkers of inflammation in systemic lupus erythematosus

Authors: Iulia-Ioana Stanescu, Bogdan Calenic, Alina Dima, Livia Alexandra Gugoasa, Eugenia Balanescu, Raluca-Ioana Stefan van Staden, Cristian Baicus, Daniela Gabriela Badita, Maria Greabu



PII: S0940-9602(18)30034-7
DOI: <https://doi.org/10.1016/j.aanat.2018.02.012>
Reference: AANAT 51243

To appear in:

Received date: 31-7-2017
Revised date: 12-2-2018
Accepted date: 22-2-2018

Please cite this article as: Stanescu, Iulia-Ioana, Calenic, Bogdan, Dima, Alina, Gugoasa, Livia Alexandra, Balanescu, Eugenia, van Staden, Raluca-Ioana Stefan, Baicus, Cristian, Badita, Daniela Gabriela, Greabu, Maria, Salivary biomarkers of inflammation in systemic lupus erythematosus. *Annals of Anatomy* <https://doi.org/10.1016/j.aanat.2018.02.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Salivary biomarkers of inflammation in systemic lupus erythematosus

Authors: Iulia-Ioana Stanescu^{a,#}, Bogdan Calenic^{a,#}, Alina Dima^{a,#}, Livia Alexandra Gugoasa^c, Eugenia Balanescu^b, Raluca-Ioana Stefan-van Staden^c, Cristian Baicus^{a,b}, Daniela Gabriela Badita^a, Maria Greabu^a

^aCarol Davila University of Medicine and Pharmacy Bucharest, 8 Eroii Sanitari Blvd, 050474, Bucharest, Romania

^bColentina Clinical Hospital, Colentina Research Center, 19-21 Stefan cel Mare Street, 020125, Bucharest, Romania

^cLaboratory of Electrochemistry and PATLAB, National Institute of Research for Electrochemistry and Condensed Matter, 202 Splaiul Independentei, 060021, Bucharest, Romania

[#]These authors contributed equally to this work

***Corresponding author:** Bogdan Calenic, DDS, PhD; Address: 8 Blvd Eroii Sanitari, Bucharest, Romania; Telephone: +40755044047; E-mail: bcalenic@yahoo.co.uk

Abstract

Saliva is currently used as a reliable diagnostic fluid in a wide range of local and systemic diseases. However, the link between salivary diagnosis and the inflammatory process in autoimmune diseases has not yet been explored. The aim of our study is to assess possible correlations between salivary inflammatory markers and systemic lupus erythematosus (SLE). Patients fulfilling the Systemic Lupus International Collaborating Clinics (SLICC) diagnosis criteria were included. Salivary and serum levels of interleukin-6 (IL-6), leptin, monocyte chemoattractant protein-1

Download English Version:

<https://daneshyari.com/en/article/8460243>

Download Persian Version:

<https://daneshyari.com/article/8460243>

[Daneshyari.com](https://daneshyari.com)