

## Accepted Manuscript

Title: Pulmonary lymphatic vessel morphology: a review

Authors: E. Weber, F. Sozio, A. Borghini, P. Sestini, E. Renzoni


PII: S0940-9602(18)30031-1  
DOI: <https://doi.org/10.1016/j.aanat.2018.02.011>  
Reference: AANAT 51240

To appear in:

Received date: 30-10-2017  
Revised date: 7-2-2018  
Accepted date: 28-2-2018

Please cite this article as: Weber, E., Sozio, F., Borghini, A., Sestini, P., Renzoni, E., Pulmonary lymphatic vessel morphology: a review. *Annals of Anatomy* <https://doi.org/10.1016/j.aanat.2018.02.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Title:**

Pulmonary lymphatic vessel morphology: a review

**Authors:**

E.Weber, MD, F.Sozio, PhD, A.Borghini PhD, P.Sestini, MD, E.Renzoni, MD

**Affiliations:**

Elisabetta Weber, M.D. Dept. of Molecular and Developmental Medicine,  
University of Siena, via A.Moro 2, 53100 Siena, Italy

Francesca Sozio, PhD, Dept. of Molecular and Developmental Medicine,  
University of Siena, via A.Moro 2, 53100 Siena, Italy

Annalisa Borghini, PhD, Dept. of Molecular and Developmental Medicine,  
University of Siena, via A.Moro 2, 53100 Siena, Italy

Piersante Sestini, M.D., Dept. of Medicine, Surgery and Neuroscience,  
University of Siena, viale Bracci 16, 53100 Siena, Italy

Elisabetta Renzoni, M.D., ILD Unit Royal Brompton Hospital, Sydney Street  
SW3 6LR, London, UK

**Corresponding author:**

Elisabetta Renzoni  
ILD Unit Royal Brompton Hospital  
Sydney Street  
SW3 6LR, London, UK  
e-mail: e.renzoni@imperial.ac.uk

**ABSTRACT**

Our understanding of lymphatic vessels has been advanced by the recent identification of relatively specific lymphatic endothelium markers, including Prox-1, VEGFR3, podoplanin and LYVE-1. The use of lymphatic markers has led to the observation that, contrary to previous assumptions, human

Download English Version:

<https://daneshyari.com/en/article/8460285>

Download Persian Version:

<https://daneshyari.com/article/8460285>

[Daneshyari.com](https://daneshyari.com)