Accepted Manuscript

Title: Molecular phenotypes of the human kidney: Myoid

stromal cells/telocytes and myoepithelial cells

Authors: M.C. Rusu, L. Mogoantă, F. Pop, M.A. Dobra


PII: S0940-9602(18)30046-3

DOI: https://doi.org/10.1016/j.aanat.2017.12.015


Reference: AANAT 51249

To appear in:

Received date: 5-11-2017 Revised date: 9-12-2017 Accepted date: 10-12-2017



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Molecular phenotypes of the human kidney: myoid stromal

cells/telocytes and myoepithelial cells

Running title: Renal telocytes

Rusu MC^{1*}, Mogoantă L², Pop F³, Dobra MA⁴

¹ MD, Ph.D., Dr.Hab., Dr.Biol., Prof., (a) Division of Anatomy, Faculty of Dental Medicine, "Carol

Davila" University of Medicine and Pharmacy, Bucharest, Romania; (b) MEDCENTER - Center

of Excellence in Laboratory Medicine and Pathology

² MD, Ph.D., Prof., Department of Histology, University of Medicine and Pharmacy Craiova,

Romania

³ MD, Ph.D., Lect. (a) Division of Pathologic Anatomy, Faculty of Medicine, "Carol Davila"

University of Medicine and Pharmacy, Bucharest, Romania; (b) MEDCENTER - Center of

Excellence in Laboratory Medicine and Pathology

⁴ MD, Ph.D. stud., Division of Anatomy, Faculty of Dental Medicine, "Carol Davila" University

of Medicine and Pharmacy, Bucharest, Romania

*Corresponding Author

Work Address: "Carol Davila" University of Medicine and Pharmacy, 8 Eroilor Sanitari Blvd.,

RO-76241, Bucharest, Romania

PHONE: +40722363705

E-mail address: anatomon@gmail.com (M.C.Rusu)

Abstract

The connective stromal and epithelial compartments of the kidney have regenerative

potential and phenotypic flexibility. A few studies have shown that cells appertaining to both

compartments can exhibit myoid phenotypes. The purpose of our study was to investigate the

myoid pattern of kidney and its association with the kidney niches containing stromal

cells/telocytes (SC/TCs). We performed an immunohistochemical study using a panel of

endothelial, myoid, mesenchymal and stem/progenitor markers, namely CD31, CD34, CD105

1

Download English Version:

https://daneshyari.com/en/article/8460293

Download Persian Version:

https://daneshyari.com/article/8460293

Daneshyari.com