

Accepted Manuscript

Title: Three-step monitoring of glycan and galectin profiles in the anterior segment of the adult chicken eye

Authors: Joachim C. Manning, Gabriel García Caballero, Clemens Knospe, Herbert Kaltner, Hans-Joachim Gabius



PII: S0940-9602(18)30016-5
DOI: <https://doi.org/10.1016/j.aanat.2018.02.002>
Reference: AANAT 51225

To appear in:

Received date: 20-11-2017
Revised date: 26-1-2018
Accepted date: 13-2-2018

Please cite this article as: Manning, Joachim C., Caballero, Gabriel García, Knospe, Clemens, Kaltner, Herbert, Gabius, Hans-Joachim, Three-step monitoring of glycan and galectin profiles in the anterior segment of the adult chicken eye. *Annals of Anatomy* <https://doi.org/10.1016/j.aanat.2018.02.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Three-step monitoring of glycan and galectin profiles in the anterior segment of the adult chicken eye

Joachim C. Manning^a, Gabriel García Caballero^a, Clemens Knospe^b, Herbert Kaltner^a and Hans-Joachim Gabius^{a,*}

^aInstitute of Physiological Chemistry, Faculty of Veterinary Medicine, Ludwig-Maximilians-University Munich, Munich, Germany

^bInstitute of Anatomy, Histology and Embryology, Faculty of Veterinary Medicine, Ludwig-Maximilians-University Munich, Munich, Germany

Running title

Glycohistochemistry of chicken eye

*Corresponding author at:

Institute of Physiological Chemistry, Faculty of Veterinary Medicine, Ludwig-Maximilians-University Munich, Veterinärstr. 13, 80539 Munich, Germany

Tel: +49-(0)89 2180 2290; Fax: +49-(0)89 2180 992290; Email: gabius@tiph.vetmed.uni-muenchen.de or gabius@lectins.de

ABSTRACT

A histochemical three-step approach is applied for processing a panel of sections that covers the different regions of fixed anterior segment of the adult chicken eye. This analysis gains insight into the presence of binding partners for functional pairing by galectin/lectin recognition

Download English Version:

<https://daneshyari.com/en/article/8460310>

Download Persian Version:

<https://daneshyari.com/article/8460310>

[Daneshyari.com](https://daneshyari.com)