

Accepted Manuscript

Title: Elongated styloid process in patients with temporomandibular disorders — Is there a link?

Authors: Sebastian Krohn, Phillipp Brockmeyer, Dietmar Kubein-Meesenburg, Christian Kirschneck, Ralf Buegers



PII: S0940-9602(18)30023-2
DOI: <https://doi.org/10.1016/j.aanat.2018.01.007>
Reference: AANAT 51232

To appear in:

Received date: 7-3-2017
Revised date: 22-1-2018
Accepted date: 26-1-2018

Please cite this article as: Krohn, Sebastian, Brockmeyer, Phillipp, Kubein-Meesenburg, Dietmar, Kirschneck, Christian, Buegers, Ralf, Elongated styloid process in patients with temporomandibular disorders — Is there a link?.Annals of Anatomy <https://doi.org/10.1016/j.aanat.2018.01.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Elongated styloid process in patients with temporomandibular disorders – Is there a link?

Sebastian Krohn^{1*}, Philipp Brockmeyer², Dietmar Kubein-Meesenburg^{1,3}, Christian Kirschneck⁴, Ralf Buegers¹

¹Department of Prosthodontics, University Medical Center Goettingen, Robert-Koch-Straße 40,
D-37075 Goettingen, Germany

²Department of Oral and Maxillofacial Surgery, University Medical Center Goettingen, Robert-Koch-Straße 40, D-37075 Goettingen, Germany

³Department of Orthodontics, University Medical Center Goettingen, Robert-Koch-Straße 40, D-37075 Goettingen, Germany

⁴Department of Orthodontics, University Medical Center Regensburg, Franz-Josef-Strauß-Allee 11, D-93053 Regensburg, Germany

*Corresponding author. Tel.: +49 551 3922897; fax: +49 551 3922800

E-mail address: sebastian.krohn@med.uni-goettingen.de

Abstract:

Background: Elongated styloid processes may display clinical signs that can easily be confused with symptoms associated with temporomandibular disorders (TMD). Thus, the present study aimed to investigate alterations of the styloid process in patients with TMD.

Download English Version:

<https://daneshyari.com/en/article/8460312>

Download Persian Version:

<https://daneshyari.com/article/8460312>

[Daneshyari.com](https://daneshyari.com)