


Accepted Manuscript

Title: The role of the common gamma-chain family cytokines in $\gamma\delta$ T cell-based anti-cancer immunotherapy

Authors: Heleen H. Van Acker, Diana Campillo-Davo, Gils Roex, Maarten Versteven, Evelien L. Smits, Viggo F. Van Tendeloo



PII: S1359-6101(18)30060-1
DOI: <https://doi.org/10.1016/j.cytogfr.2018.05.002>
Reference: CGFR 1056

To appear in: *Cytokine & Growth Factor Reviews*

Received date: 21-4-2018
Revised date: 7-5-2018
Accepted date: 9-5-2018

Please cite this article as: Van Acker HH, Campillo-Davo D, Roex G, Versteven M, Smits EL, Van Tendeloo VF, The role of the common gamma-chain family cytokines in $\gamma\delta$ T cell-based anti-cancer immunotherapy, *Cytokine and Growth Factor Reviews* (2010), <https://doi.org/10.1016/j.cytogfr.2018.05.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The role of the common gamma-chain family cytokines in $\gamma\delta$ T cell-based anti-cancer immunotherapy

Heleen H. Van Acker^{a,*}, Diana Campillo-Davo^a, Gils Roex^a, Maarten Versteven^a, Evelien L. Smits^{a,c} and Viggo F. Van Tendeloo^a

Author affiliations:

^a Laboratory of Experimental Hematology, Tumor Immunology Group (TIGR), Vaccine & Infectious Disease Institute (VAXINFECTIO), University of Antwerp, Faculty of Medicine and Health Sciences, Antwerp, Belgium

^b Center for Cell Therapy & Regenerative Medicine, Antwerp University Hospital, Edegem, Belgium

^c Center for Oncological Research (CORE), Faculty of Medicine and Health Sciences, University of Antwerp, Antwerp, Belgium

***Corresponding author:** Heleen Van Acker

Wilrijkstraat 10, 2650 Edegem, Belgium

Tel +32 3 821 58 57

Fax +32 3 821 44 56

e-mail heleen.vanacker@uantwerp.be

Highlights

- The cytokines of the common gamma-chain receptor family all have their unique effects on $\gamma\delta$ T cells.
- Interleukin-15-activated $\gamma\delta$ T cells arise as strong candidates for future cancer immunotherapies.

Download English Version:

<https://daneshyari.com/en/article/8466215>

Download Persian Version:

<https://daneshyari.com/article/8466215>

[Daneshyari.com](https://daneshyari.com)