

Stk33 is required for spermatid differentiation and male fertility in mice

Leila R Martins, Raffaella K Bung, Stefan Koch, Karsten Richter, Laura Schwarzmüller, Dorothee Terhardt, Bahtiyar Kurtulmus, Christof Niehrs, Arefeh Rouhi, Ingrid Lohmann, Gislene Pereira, Stefan Fröhling, Hanno Glimm, Claudia Scholl



PII: S0012-1606(17)30417-7
DOI: <https://doi.org/10.1016/j.ydbio.2017.11.007>
Reference: YDBIO7627

To appear in: *Developmental Biology*

Received date: 14 June 2017
Revised date: 13 November 2017
Accepted date: 13 November 2017

Cite this article as: Leila R Martins, Raffaella K Bung, Stefan Koch, Karsten Richter, Laura Schwarzmüller, Dorothee Terhardt, Bahtiyar Kurtulmus, Christof Niehrs, Arefeh Rouhi, Ingrid Lohmann, Gislene Pereira, Stefan Fröhling, Hanno Glimm and Claudia Scholl, Stk33 is required for spermatid differentiation and male fertility in mice, *Developmental Biology*, <https://doi.org/10.1016/j.ydbio.2017.11.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Stk33 is required for spermatid differentiation and male fertility in mice

Leila R Martins^{a1}, Raffaella K Bung^{a1}, Stefan Koch^{b,c}, Karsten Richter^d, Laura Schwarzmüller^a, Dorothee Terhardt^a, Bahtiyar Kurtulmus^e, Christof Niehrs^{b,f}, Arefeh Rouhi^g, Ingrid Lohmann^h, Gislene Pereira^e, Stefan Fröhling^{i,j,k}, Hanno Glimm^{i,k}, Claudia Scholl^{a,k,l}

^aDivision of Applied Functional Genomics, German Cancer Research Center (DKFZ) and National Center for Tumor Diseases (NCT) Heidelberg, 69120 Heidelberg, Germany

^bDivision of Molecular Embryology, DKFZ-ZMBH Alliance, 69120 Heidelberg, Germany

^cPresent address: Department of Clinical and Experimental Medicine (IKE), Linköping University, S-58185 Linköping, Sweden

^dCore Facility Electron Microscopy, DKFZ, 69120 Heidelberg, Germany

^eMolecular Biology of Centrosomes and Cilia Unit, DKFZ-ZMBH Alliance, 69120 Heidelberg, Germany

^fInstitute of Molecular Biology (IMB), 55128 Mainz, Germany

^gDepartment of Internal Medicine III, Ulm University, 89081 Ulm, Germany

^hDepartment of Developmental Biology, Centre for Organismal Studies (COS), 69120 Heidelberg, Germany

ⁱDivision of Translational Oncology, National Center for Tumor Diseases (NCT) Heidelberg and German Cancer Research Center (DKFZ), 69120 Heidelberg, Germany

^jSection for Personalized Oncology, Heidelberg University Hospital, 69120 Heidelberg, Germany

^kGerman Cancer Consortium (DKTK), 69120 Heidelberg, Germany

^lCorresponding author: Claudia Scholl, DKFZ and NCT Heidelberg, Im Neuenheimer Feld 581, 69120 Heidelberg, Germany. Phone: +49.6221.42.1636; E-mail: claudia.scholl@nct-heidelberg.de.

¹ Co-first authors.

Download English Version:

<https://daneshyari.com/en/article/8467699>

Download Persian Version:

<https://daneshyari.com/article/8467699>

[Daneshyari.com](https://daneshyari.com)