Title: Effect of TLR ligands co-encapsulated with multiepitopic antigen in nanoliposomes targeted to human DCs via Fc receptor for cancer vaccines

Authors: Felix Rueda, Christina Eich, Begoña Cordobilla, Pere Domingo, Gerardo Acosta, Fernando Albericio, Luis J. Cruz, Joan C. Domingo

PII: S0171-2985(17)30113-4
DOI: http://dx.doi.org/doi:10.1016/j.imbio.2017.06.002
Reference: IMBIO 51632

To appear in:

Received date: 2-8-2016
Accepted date: 9-6-2017

Please cite this article as: Rueda, Felix, Eich, Christina, Cordobilla, Begoña, Domingo, Pere, Acosta, Gerardo, Albericio, Fernando, Cruz, Luis J., Domingo, Joan C., Effect of TLR ligands co-encapsulated with multiepitopic antigen in nanoliposomes targeted to human DCs via Fc receptor for cancer vaccines.Immunobiology http://dx.doi.org/10.1016/j.imbio.2017.06.002

Effect of TLR ligands co-encapsulated with multiepitopic antigen in nanoliposomes targeted to human DCs via Fc receptor for cancer vaccines

Felix Rueda[a], Christina Eich[b], Begoña Cordobilla[a], Pere Domingo[c], Gerardo Acosta[d], Fernando Albericio[d,e], Luis J. Cruz[f,*], Joan C. Domingo[a,*].

[a] Department of Biochemistry and Molecular Biology, University of Barcelona, Diagonal 643, 08028 Barcelona, Spain.

[b] Department of Cell Biology Erasmus Medical Center Rotterdam, The Netherlands.

[c] Infectious Diseases Unit, Hospital de la Santa Creu i Sant Pau, Universitat Autònoma de Barcelona, 08026 Barcelona, Spain.

[d] Institute for Research in Biomedicine, Baldiri Reixac 10, 08028 Barcelona, Spain.

[e] CIBER-BBN, Networking Centre on Bioengineering, Biomaterials and Nanomedicine, 08028 Barcelona, Spain.

[f] Experimental Molecular Imaging, Department of Radiology, Leiden University Medical Center, Leiden, The Netherlands.