

MicroRNA-101a suppresses fibrotic programming in isolated cardiac fibroblasts and in vivo fibrosis following trans-aortic constriction

Yue Zhou, Thiam Chien Shiok, Arthur Mark Richards, Peipei Wang

PII: S0022-2828(18)30697-7
DOI: doi:10.1016/j.yjmcc.2018.07.251
Reference: YJMCC 8776

To appear in: *Journal of Molecular and Cellular Cardiology*

Received date: 26 March 2018
Revised date: 19 June 2018
Accepted date: 23 July 2018

Please cite this article as: Yue Zhou, Thiam Chien Shiok, Arthur Mark Richards, Peipei Wang , MicroRNA-101a suppresses fibrotic programming in isolated cardiac fibroblasts and in vivo fibrosis following trans-aortic constriction. Yjmcc (2018), doi:10.1016/j.yjmcc.2018.07.251

MicroRNA-101a suppresses fibrotic programming in isolated cardiac fibroblasts and *in vivo* fibrosis following trans-aortic constriction

Yue Zhou[1,2], Thiam Chien Shiok[1,2], Arthur Mark Richards[1,2,3,4], Peipei Wang*[1,2]

[1] Cardiovascular Research Institute, National University Health System; [2] Department of Medicine, Yong Loo Lin School of Medicine, National University of Singapore, Singapore; [3] Christchurch Heart Institute, Department of Medicine, University of Otago Christchurch, New Zealand; [4] Cardiac Department, National University Health System, Singapore.

***Corresponding author:** Peipei Wang, MD, PhD, Cardiovascular Research Institute, Department of Medicine, Yong Loo Lin School of Medicine, National University Health System, National University of Singapore, Centre for Translational Medicine, MD6, #08-01, 14 Medical Drive, Singapore 117599 **Phone:** (65) 81613586; **Fax:** (65) 6775-9715; **Email:** mdcwp@nus.edu.sg