

Accepted Manuscript

High-mobility Group Box 1-mediated Heat Shock Protein Beta 1 Expression Attenuates Mitochondrial Dysfunction and Apoptosis

Taro Narumi, Tetsuro Shishido, Yoichiro Otaki, Shinpei Kadowaki, Yuki Honda, Akira Funayama, Shintaro Honda, Hiromasa Hasegawa, Daisuke Kinoshita, Miyuki Yokoyama, Satoshi Nishiyama, Hiroki Takahashi, Takanori Arimoto, Takuya Miyamoto, Tetsu Watanabe, Atsushi Tanaka, Chung-Hoon Woo, Jun-ichi Abe, Yasuchika Takeishi, Isao Kubota


PII: S0022-2828(15)00063-2
DOI: doi: [10.1016/j.yjmcc.2015.02.018](https://doi.org/10.1016/j.yjmcc.2015.02.018)
Reference: YJMCC 8028

To appear in: *Journal of Molecular and Cellular Cardiology*

Received date: 7 November 2014
Revised date: 4 February 2015
Accepted date: 21 February 2015

Please cite this article as: Narumi Taro, Shishido Tetsuro, Otaki Yoichiro, Kadowaki Shinpei, Honda Yuki, Funayama Akira, Honda Shintaro, Hasegawa Hiromasa, Kinoshita Daisuke, Yokoyama Miyuki, Nishiyama Satoshi, Takahashi Hiroki, Arimoto Takanori, Miyamoto Takuya, Watanabe Tetsu, Tanaka Atsushi, Woo Chung-Hoon, Abe Jun-ichi, Takeishi Yasuchika, Kubota Isao, High-mobility Group Box 1-mediated Heat Shock Protein Beta 1 Expression Attenuates Mitochondrial Dysfunction and Apoptosis, *Journal of Molecular and Cellular Cardiology* (2015), doi: [10.1016/j.yjmcc.2015.02.018](https://doi.org/10.1016/j.yjmcc.2015.02.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**High-mobility Group Box 1-mediated Heat Shock Protein Beta 1 Expression Attenuates
Mitochondrial Dysfunction and Apoptosis**

Taro Narumi ^a; Tetsuro Shishido ^a; Yoichiro Otaki ^a; Shinpei Kadowaki ^a; Yuki Honda ^a;
Akira Funayama ^a; Shintaro Honda ^a; Hiromasa Hasegawa ^a; Daisuke Kinoshita ^a; Miyuki
Yokoyama ^a; Satoshi Nishiyama ^a; Hiroki Takahashi ^a; Takanori Arimoto ^a; Takuya
Miyamoto ^a; Tetsu Watanabe ^a; Atsushi Tanaka ^b; Chung-Hoon Woo ^c; Jun-ichi Abe ^d;
Yasuchika Takeishi ^e; and Isao Kubota ^a

^aDepartment of Cardiology, Pulmonology, and Nephrology, Yamagata University School of
Medicine, Yamagata, Japan; ^b Research Institute for Medical Sciences, Yamagata
University School of Medicine, Yamagata, Japan; ^c Department of Pharmacology, College
of Medicine, Yeungnam University, Daegu, Republic of Korea; ^d Department of Cardiology
Division of Internal Medicine, University of Texas MD Anderson Cancer Center, Houston,
Texas, USA; ^e Department of Cardiology and Hematology, Fukushima Medical University,
Fukushima, Japan.

Correspondence to:

Tetsuro Shishido, MD, PhD

Department of Cardiology, Pulmonology, and Nephrology,

Yamagata University School of Medicine

2-2-2 Iida-nishi, Yamagata, 990-9585, Japan

E-mail: tshishid@med.id.yamagata-u.ac.jp

Tel: +81-23-628-5302 Fax: +81-23-628-5305

Running title: HMGB1-mediated mitochondrial quality control in cardiomyocytes

Word count of the manuscript: 5712 words

Download English Version:

<https://daneshyari.com/en/article/8474328>

Download Persian Version:

<https://daneshyari.com/article/8474328>

[Daneshyari.com](https://daneshyari.com)