

Accepted Manuscript

The ACE2/Ang-(1-7)/Mas axis can inhibit hepatic insulin resistance

Xi Cao, Fang-Yuan Yang, Zhong Xin, Rong-Rong Xie, Jin-Kui Yang

PII: S0303-7207(14)00173-7

DOI: <http://dx.doi.org/10.1016/j.mce.2014.05.024>

Reference: MCE 8826

To appear in: *Molecular and Cellular Endocrinology Molecular and Cellular Endocrinology*

Received Date: 25 February 2014

Revised Date: 27 May 2014

Accepted Date: 28 May 2014

Please cite this article as: Cao, X., Yang, F-Y., Xin, Z., Xie, R-R., Yang, J-K., The ACE2/Ang-(1-7)/Mas axis can inhibit hepatic insulin resistance, *Molecular and Cellular Endocrinology Molecular and Cellular Endocrinology* (2014), doi: <http://dx.doi.org/10.1016/j.mce.2014.05.024>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The ACE2/Ang-(1-7)/Mas axis can inhibit hepatic insulin resistance

Xi Cao^{ab}, Fang-Yuan Yang^{ab}, Zhong Xin^{ab}, Rong-Rong Xie^{ab} and Jin-Kui Yang^{ab}✉

^a Department of Endocrinology, Beijing Tongren Hospital, Capital Medical University, Beijing 10730, China

^b Beijing Key Laboratory of Diabetes Research and Care, Beijing 100730, China

✉Address correspondence and reprint requests to Professor Jin-Kui Yang, Department of Endocrinology, Beijing Tongren Hospital, Capital Medical University, Beijing 100730, China.

Tel: +86-10-58268445

Fax: +86-10-65288736

Cell: +86-13911167636

E-mail: jinkui.yang@gmail.com

Download English Version:

<https://daneshyari.com/en/article/8477149>

Download Persian Version:

<https://daneshyari.com/article/8477149>

[Daneshyari.com](https://daneshyari.com)