


Accepted Manuscript

Fast and slow-twitching muscles are differentially affected by reduced cholinergic transmission in mice deficient for VACHT: A mouse model for congenital myasthenia

Matheus P.S. Magalhães-Gomes, Daisy Motta-Santos, Luana P.L. Schetino, Jéssica N. Andrade, Cristiane P. Bastos, Diogo A.S. Guimarães, Sydney K. Vaughan, Patrícia M. Martinelli, Silvia Guatimosim, Grace S. Pereira, Candido C. Coimbra, Vânia F. Prado, Marco A.M. Prado, Gregorio Valdez, Cristina Guatimosim



PII: S0197-0186(18)30072-X

DOI: [10.1016/j.neuint.2018.07.002](https://doi.org/10.1016/j.neuint.2018.07.002)

Reference: NCI 4267

To appear in: *Neurochemistry International*


Received Date: 13 February 2018

Revised Date: 27 June 2018

Accepted Date: 7 July 2018

Please cite this article as: Magalhães-Gomes, M.P.S., Motta-Santos, D., Schetino, L.P.L., Andrade, Jé.N., Bastos, C.P., Guimarães, D.A.S., Vaughan, S.K., Martinelli, Patrí.M., Guatimosim, S., Pereira, G.S., Coimbra, C.C., Prado, Vâ.F., Prado, M.A.M., Valdez, G., Guatimosim, C., Fast and slow-twitching muscles are differentially affected by reduced cholinergic transmission in mice deficient for VACHT: A mouse model for congenital myasthenia, *Neurochemistry International* (2018), doi: 10.1016/j.neuint.2018.07.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/8478838>

Download Persian Version:

<https://daneshyari.com/article/8478838>

[Daneshyari.com](https://daneshyari.com)