

Accepted Manuscript

Digestibility of Nutrients and Digestive Health In Horses Submitted to Moderate Exercise and Supplemented with Diets Formulated with Soybean Hulls

Roseli T. Borghi, Paula G. Rodrigues, Raquel S. Moura, Linamary S. Almeida, Gabriela C.S. Fontes, Camila F. Fidêncio, Camilo A. Santos, Wilson A. Marchesin, Gregório M. Oliveira Júnior, José C. Souza

PII: S0737-0806(16)30395-1

DOI: [10.1016/j.jevs.2017.10.003](https://doi.org/10.1016/j.jevs.2017.10.003)

Reference: YJEVS 2393

To appear in: *Journal of Equine Veterinary Science*


Received Date: 7 July 2016

Revised Date: 2 October 2017

Accepted Date: 2 October 2017

Please cite this article as: Borghi RT, Rodrigues PG, Moura RS, Almeida LS, Fontes GCS, Fidêncio CF, Santos CA, Marchesin WA, Oliveira Júnior GM, Souza JC, Digestibility of Nutrients and Digestive Health In Horses Submitted to Moderate Exercise and Supplemented with Diets Formulated with Soybean Hulls, *Journal of Equine Veterinary Science* (2017), doi: 10.1016/j.jevs.2017.10.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



DIGESTIBILITY OF NUTRIENTS AND DIGESTIVE HEALTH IN HORSES SUBMITTED TO MODERATE EXERCISE AND SUPPLEMENTED WITH DIETS FORMULATED WITH SOYBEAN HULLS

Roseli T. Borghi^a, Paula G. Rodrigues^{b*}, Raquel S. Moura^c, Linamary S. Almeida^d,
Gabriela C. S. Fontes^e, Camila F. Fidêncio^f, Camilo A. Santos^g, Wilson A.
Marchesin^h, Gregório M. Oliveira Júniorⁱ, José C. Souza^j

^a*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, roseliborghi@gmail.com*

^b*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, paulagrodrigues@hotmail.com*

^c*Animal Science Department, Federal University of Lavras, CEP 37200-000, Lavras, MG, Brazil, raquelmourabr@yahoo.com.br*

^d*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, linamaryalmeida@hotmail.com*

^e*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, gabrielacsfontes@hotmail.com.br*

^f*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, camilaferf@gmail.com*

^g*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, camiloazevedo@hotmail.com*

^h*Animal Scientist, Rações COMIGO, CEP 75901-901, CP 195, Rio Verde, GO, Brazil, racaoind@comigo.com.br*

ⁱ*Animal Science Department, Federal University of Sergipe, CEP 49100-000, São Cristóvão, SE, Brazil, gregzotec@yahoo.com.br*

^j*Animal Science Department, Federal University of Lavras, CEP 37200-000, Lavras, MG, Brazil, jcamisao@yahoo.com.br*

*Corresponding Author

Departamento de Zootecnia, Universidade Federal de Sergipe, Av. Marechal Rondon, s/nº, Jardim Rosa Elze, São Cristóvão/SE, Zip Code 49100-000, Brasil. Phone: +55 79 99159 0779. E-mail: paulagrodrigues@hotmail.com

Abstract

Soybean hulls are a feedstuff that has been widely studied as an alternative ingredient in horse diets because of its fermentable carbohydrates with low glycemic index. The objective was to assess the influence of the inclusion of soybean hull (SH), in substitution for 0%, 10%, 20%, 30% and 40% of the concentrate (Kg/Kg), on the apparent digestibility of nutrients, fecal pH and score,

Download English Version:

<https://daneshyari.com/en/article/8483350>

Download Persian Version:

<https://daneshyari.com/article/8483350>

[Daneshyari.com](https://daneshyari.com)