

# Accepted Manuscript

Comparison of the fecal microbiota in horses with Equine Metabolic Syndrome (EMS) and metabolically normal controls fed a similar all forage diet

S. Elzinga, J.S. Weese, A.A. Adams

PII: S0737-0806(16)30043-0

DOI: [10.1016/j.jevs.2016.05.010](https://doi.org/10.1016/j.jevs.2016.05.010)

Reference: YJEVS 2107

To appear in: *Journal of Equine Veterinary Science*

Received Date: 16 February 2016

Revised Date: 16 May 2016

Accepted Date: 16 May 2016

Please cite this article as: Elzinga S, Weese J, Adams A, Comparison of the fecal microbiota in horses with Equine Metabolic Syndrome (EMS) and metabolically normal controls fed a similar all forage diet, *Journal of Equine Veterinary Science* (2016), doi: 10.1016/j.jevs.2016.05.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Title Page

Comparison of the fecal microbiota in horses with Equine Metabolic Syndrome (EMS) and metabolically normal controls fed a similar all forage diet.

S Elzinga<sup>1</sup>, JS Weese<sup>2</sup>, and AA Adams<sup>1\*</sup>

1. M.H. Gluck Equine Research Center, Department of Veterinary Science, University of Kentucky, Lexington KY, USA

2. Ontario Veterinary College, University of Guelph, Ontario, CA

**\*Corresponding author;**

Permanent address; Gluck Equine Research Center, Department of Veterinary Science, University of Kentucky, Lexington KY, 40546-0099.

E-mail; amanda.adams@uky.edu

Download English Version:

<https://daneshyari.com/en/article/8483494>

Download Persian Version:

<https://daneshyari.com/article/8483494>

[Daneshyari.com](https://daneshyari.com)