

Accepted Manuscript

Title: Dietary supplementation with orange pulp (*Citrus sinensis*) improves egg yolk oxidative stability in laying hens

Authors: M. Goliomytis, A. Kostaki, G. Avgoulas, D.Z. Lantzouraki, E. Siapi, P. Zoumpoulakis, P. Simitzis, S.-G. Deligeorgis



PII: S0377-8401(18)30673-4
DOI: <https://doi.org/10.1016/j.anifeedsci.2018.07.015>
Reference: ANIFEE 14041

To appear in: *Animal Feed Science and Technology*

Received date: 14-5-2018
Revised date: 13-6-2018
Accepted date: 26-7-2018

Please cite this article as: Goliomytis M, Kostaki A, Avgoulas G, Lantzouraki DZ, Siapi E, Zoumpoulakis P, Simitzis P, Deligeorgis S-G, Dietary supplementation with orange pulp (*Citrus sinensis*) improves egg yolk oxidative stability in laying hens, *Animal Feed Science and Technology* (2018), <https://doi.org/10.1016/j.anifeedsci.2018.07.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dietary supplementation with orange pulp (*Citrus sinensis*) improves egg yolk oxidative stability in laying hens

M. Goliomytis^{a,*}, A. Kostaki^a, G. Avgoulas^a, D. Z. Lantzouraki^b, E. Siapi^b, P. Zoumpoulakis^b, P. Simitzis^a, S.-G. Deligeorgis^a

^aDepartment of Animal Science and Aquaculture, Agricultural University of Athens, 75 Iera Odos, GR11855, Athens, Greece

^b Institute of Biology, Medicinal Chemistry and Biotechnology, National Hellenic Research Foundation, 48 Vassileos Constantinou Ave., GR11635, Athens, Greece

*Corresponding author. Tel: 00302105294446; Fax: 00302105294442; EM: mgolio@aia.gr

Highlights

- Orange pulp improved egg yolk oxidative stability of both fresh and stored eggs.
- Performance and egg quality traits were negatively affected by orange pulp.
- Impairment of performance and egg quality were attributed to decreased feed intake.
- Decreased feed intake was associated with low palatability of the orange pulp diet

Download English Version:

<https://daneshyari.com/en/article/8490892>

Download Persian Version:

<https://daneshyari.com/article/8490892>

[Daneshyari.com](https://daneshyari.com)