Accepted Manuscript

Title: Biodegradation characteristics and nutrient availability of newly developed carinata seeds in comparison with canola seeds in dairy cattle

Authors: Yajing Ban, Luciana L. Prates, Peiqiang Yu

PII: S0377-8401(17)30504-7

DOI: https://doi.org/10.1016/j.anifeedsci.2018.03.014


Reference: ANIFEE 13968

To appear in: Animal Feed Science and Technology

Received date: 18-4-2017 Revised date: 18-2-2018 Accepted date: 26-3-2018

Please cite this article as: Ban Y, Prates LL, Yu P, Biodegradation characteristics and nutrient availability of newly developed carinata seeds in comparison with canola seeds in dairy cattle, *Animal Feed Science and Technology* (2010), https://doi.org/10.1016/j.anifeedsci.2018.03.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Biodegradation characteristics and nutrient availability of newly developed carinata seeds in comparison with canola seeds in dairy cattle

Yajing Ban^a, Luciana L. Prates^a, Peiqiang Yu^{a*}

^aDepartment of Animal and Poultry Science, College of Agricultural and Bioresources, University of Saskatchewan, 51 Campus Drive, Saskatoon, SK, S7N5A8 Canada.

* Corresponding author:

Dr. Peiqiang Yu

College of Agriculture and Bioresources, University of Saskatchewan,

51 Campus Drive, Saskatoon, SK, Canada S7N 5A8. Tel.: +1 306 966 4150.

E-mail: peiqiang.yu@usask.ca

Highlights

- Newly developed carinata seeds have lower fiber than canola seeds;
- Yellow-seeded carinata has higher crude protein than brown-seeded carinata;
- Carinata seeds and canola seeds with same hull color show similar energy values;
- Carinata seeds present greater rumen degraded feed crude protein than canola seeds;

Download English Version:

https://daneshyari.com/en/article/8490954

Download Persian Version:

https://daneshyari.com/article/8490954

<u>Daneshyari.com</u>