


Accepted Manuscript

Title: Fermentation and enzymatic treatment of pea for turkey nutrition

Authors: F. Goodarzi Borojani, K. Kozłowski, J. Jankowski, M. Senz, M. Wiśniewska, D. Boros, A. Drazbo, J. Zentek



PII: S0377-8401(17)31197-5
DOI: <https://doi.org/10.1016/j.anifeedsci.2018.01.008>
Reference: ANIFEE 13926

To appear in: *Animal Feed Science and Technology*

Received date: 27-9-2017
Revised date: 28-11-2017
Accepted date: 9-1-2018

Please cite this article as: Goodarzi Borojani, F., Kozłowski, K., Jankowski, J., Senz, M., Wiśniewska, M., Boros, D., Drazbo, A., Zentek, J., Fermentation and enzymatic treatment of pea for turkey nutrition. *Animal Feed Science and Technology* <https://doi.org/10.1016/j.anifeedsci.2018.01.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fermentation and enzymatic treatment of pea for turkey nutrition

F. Goodarzi Borojani^a, K. Kozłowski^{b†}, J. Jankowski^b, M. Senz^c, M. Wiśniewska^d, D. Boros^d, A. Drazbo^b, and J. Zentek^a

^a *Institute of Animal Nutrition, Department of Veterinary Medicine, Freie Universität Berlin, Königin-Luise-Str. 49, 14195 Berlin, Germany*

^b *Department of Poultry Science, Faculty of Animal Bioengineering, University of Warmia and Mazury in Olsztyn, Oczapowskiego 5, 10-719 Olsztyn, Poland*

^c *Research and Teaching Institute for Brewing in Berlin, Institute of Biotechnology and Water, Department Bioprocess Engineering and Applied Microbiology, Seestrasse 13, 13353 Berlin, Germany*

^d *Laboratory of Quality Evaluation of Plant Materials, Institute of Plant Breeding and Acclimatization - National Research Institute, 05-870 Radzikow, Blonie, Poland*

† **Corresponding author:** Krzysztof Kozłowski

E-mail: kristof@uwm.edu.pl

Highlights

- Solid state fermentation (SSF) can improve nutritional quality of pea.
- Enzymatic treatment (ET) can improve nutritional quality of pea.
- SSF and ET of peas drastically improved ileal starch digestibility.
- Enzymatically treated pea (ETP) had better ileal digestibility of protein and AA.
- Inclusion of ETP in turkey diets improved footpad dermatitis score.

Download English Version:

<https://daneshyari.com/en/article/8491022>

Download Persian Version:

<https://daneshyari.com/article/8491022>

[Daneshyari.com](https://daneshyari.com)