Accepted Manuscript

Title: Live yeast supplementation improves rumen fibre degradation in cattle grazing tropical pastures throughout the year

Authors: D.O. Sousa, C.A. Oliveira, A.V. Velasquez, J.M.

Souza, E. Chevaux, L.J. Mari, L.F.P. Silva

PII: S0377-8401(17)30848-9

DOI: https://doi.org/10.1016/j.anifeedsci.2017.12.015


Reference: ANIFEE 13916

To appear in: Animal Feed Science and Technology

Received date: 6-7-2017 Revised date: 12-12-2017 Accepted date: 17-12-2017

Please cite this article as: Sousa, D.O., Oliveira, C.A., Velasquez, A.V., Souza, J.M., Chevaux, E., Mari, L.J., Silva, L.F.P., Live yeast supplementation improves rumen fibre degradation in cattle grazing tropical pastures throughout the year. Animal Feed Science and Technology https://doi.org/10.1016/j.anifeedsci.2017.12.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Running title: Live yeast and rumen efficiency

Live yeast supplementation improves rumen fibre degradation in cattle grazing tropical pastures throughout the year.

D.O. Sousa^a, C.A. Oliveira^a, A.V. Velasquez^a, J.M. Souza^a, E. Chevaux^b, L.J. Mari^c, and L.F.P. Silva^{a,d}

^aDepartment of Animal Science, School of Veterinary Medicine, Universidade de São Paulo,

Pirassununga, São Paulo, Brazil

^bLallemand SAS, Blagnac, 31702, France.

^cLallemand Brasil Ltda., Aparecida de Goiânia, Brazil

^dThe University of Queensland, QAAFI, St Lucia, Australia.

Highlights

- Live yeast supplementation enhanced rumen digestibility of tropical forages.
- The effect was independent of pasture quality and season of the year.
- Fibre digestibility was related to increase in rumen cellulolytic bacteria.

¹Corresponding author: 306 Carmody Road, Building 80, St Lucia, 4072, QLD, Australia. Email:

1.pradaesilva@uq.edu.au. Phone: +61 7 3346 2166

ABSTRACT

Download English Version:

https://daneshyari.com/en/article/8491038

Download Persian Version:

https://daneshyari.com/article/8491038

<u>Daneshyari.com</u>