Accepted Manuscript

The first molluscan TRIM9 is involved in the negative regulation of NF-κB activity in the Hong Kong oyster *Crassostrea hongkongensis*

Ying Liu, Jun Li, Yuehuan Zhang, Yang Zhang, Fan Mao, Fuxuan Wang, Ziniu Yu

PII: S1050-4648(16)30418-1

DOI: 10.1016/j.fsi.2016.06.057

Reference: YFSIM 4057

To appear in: *Fish and Shellfish Immunology*

Received Date: 19 March 2016

Revised Date: 27 June 2016

Accepted Date: 29 June 2016

Please cite this article as: Liu Y, Li J, Zhang Y, Zhang Y, Mao F, Wang F, Yu Z, The first molluscan TRIM9 is involved in the negative regulation of NF-κB activity in the Hong Kong oyster *Crassostrea hongkongensis*, *Fish and Shellfish Immunology* (2016), doi: 10.1016/j.fsi.2016.06.057.

The first molluscan TRIM9 is involved in the negative regulation of NF-κB activity in the Hong Kong oyster, *Crassostrea hongkongensis*

Ying Liu[a,b], Jun Li[a, b], Fuxuan Wang[a,b], Fan Mao[a,b,c], Yuehuan Zhang[a,b], Yang Zhang[a, b], Ziniu Yu[a, b*]

[a] Key Laboratory of Tropical Marine Bio-Resources and Ecology, Guangdong Provincial Key Laboratory of Applied Marine Biology, South China Sea Institute of Oceanology, Chinese Academy of Sciences, 164 West Xingang Road, Guangzhou 510301, China

[b]South China Sea Bio-Resource Exploitation and Utilization Collaborative Innovation Center, China

[c] University of Chinese Academy of Sciences, 19A Yuquan Road, Beijing 100049, China

Running title: the first TRIM gene from Hong Kong oyster

*Correspondence:

South China Sea Institute of Oceanology, Chinese Academy of Sciences, 164 West Xingang Road, Guangzhou 510301, China.

Tel & Fax: +86 20 8910-2507;

E-mail: carlzyu@scsio.ac.cn;