

Accepted Manuscript

Toxoplasma gondii infections in chickens - performance of various antibody detection techniques in serum and meat juice relative to bioassay and DNA detection methods

G. Schares, M. Koethe, B. Bangoura, A.-C. Geuthner, F. Randau, M. Ludewig, P. Maksimov, M. Sens, A. Bärwald, F.J. Conraths, I. Villena, D. Aubert, M. Opsteegh, J. Van der Giessen

PII: S0020-7519(18)30100-0

DOI: <https://doi.org/10.1016/j.ijpara.2018.03.007>

Reference: PARA 4067

To appear in: *International Journal for Parasitology*

Received Date: 25 January 2018

Revised Date: 14 March 2018

Accepted Date: 22 March 2018

Please cite this article as: Schares, G., Koethe, M., Bangoura, B., Geuthner, A.-C., Randau, F., Ludewig, M., Maksimov, P., Sens, M., Bärwald, A., Conraths, F.J., Villena, I., Aubert, D., Opsteegh, M., Van der Giessen, J., *Toxoplasma gondii* infections in chickens - performance of various antibody detection techniques in serum and meat juice relative to bioassay and DNA detection methods, *International Journal for Parasitology* (2018), doi: <https://doi.org/10.1016/j.ijpara.2018.03.007>



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Toxoplasma gondii infections in chickens - performance of various antibody detection techniques in serum and meat juice relative to bioassay and DNA detection methods

G. Schares^{a,*}, M. Koethe^b, B. Bangoura^c, A.-C. Geuthner^c, F. Randau^c, M. Ludewig^b, P. Maksimov^a, M. Sens^a, A. Bärwald^a, F.J. Conraths^a, I. Villena^{d,e}, D. Aubert^{d,e}, M. Opsteegh^f, J. Van der Giessen^f

^aFriedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of Epidemiology,
National Reference Centre for Toxoplasmosis, Greifswald-Insel Riems, Germany

^bInstitute of Food Hygiene, Faculty of Veterinary Medicine, University Leipzig, Germany

^cInstitute of Parasitology, Faculty of Veterinary Medicine, University Leipzig, Germany

^dEA 3800, UFR Medecine, University of Reims Champagne Ardenne, Reims, France

^eLaboratory of Parasitology, National Reference Centre on Toxoplasmosis, Hospital Maison Blanche,
Centre Hospitalier Universitaire de Reims, Reims, France

^fNational Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands

*Corresponding author. Dr. Gereon Schares, Friedrich-Loeffler-Institut, Federal Research Institute for
Animal Health, Institute of Epidemiology, Südufer 10, 17493 Greifswald - Insel Riems, Germany.

Tel.: +49 38351 71544; Fax: +49 38351 7 1526. E-mail address: gereon.schares@fli.de

Download English Version:

<https://daneshyari.com/en/article/8500069>

Download Persian Version:

<https://daneshyari.com/article/8500069>

[Daneshyari.com](https://daneshyari.com)