Accepted Manuscript

Effects of inclusion of spray-dried porcine plasma in lactation diets on sow and litter performance


S.D. Carter , M.D. Lindemann , L.I. Chiba , M.J. Estienne , G.J.M.M. Lima

PII: \$1871-1413(18)30129-X DOI: 10.1016/j.livsci.2018.05.007

Reference: LIVSCI 3457

To appear in: Livestock Science

Received date: 1 June 2017 Revised date: 16 April 2018 Accepted date: 11 May 2018



Please cite this article as: S.D. Carter, M.D. Lindemann, L.I. Chiba, M.J. Estienne, G.J.M.M. Lima, Effects of inclusion of spray-dried porcine plasma in lactation diets on sow and litter performance, *Livestock Science* (2018), doi: 10.1016/j.livsci.2018.05.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Feed intake of the lactating sow is a critical issue determining lactation performance and sow longevity.
- Spray-dried porcine plasma is well known to improve feed intake, growth rate, and feed efficiency in nursery pigs.
- Spray-dried porcine plasma addition to lactation diets of older, mature sows tended to increase measures of sow lactation performance.
- However, when evaluating the response across all parities, spray-dried porcine plasma addition to lactation diets did not affect sow or litter performance

Download English Version:

https://daneshyari.com/en/article/8501842

Download Persian Version:

https://daneshyari.com/article/8501842

<u>Daneshyari.com</u>